Australasian Standard Project

Room Data Sheets

Department Standar

Room Name ADL Dir

6.0 M2

6.0 M2

24 Hours Up to 4

Standard Components Room Tag: 1130
ADL Dining Room Room Code: ADLD

Area

No of Rooms

Subtotal of Area Hours of Operation

Occupancy
Also covers these
Rooms

Description/ Special Requirements The ADL Dining Room is an area provided within the Transitional Living Unit for the patient along with their visitors to eat their meals, away from the bedroom environment. The Dining Room will be located adjacent to the ADL Kitchen.

Amendment

16.05.05, - First Draft

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
4030	Wall protection	Composite	Prefinished PVC	Corner guards to 900 AFFL		Equal to 'Acrovyn', as required
4020	Wall protection	Composite	Prefinished PVC	Crash rail at 900 AFFL		Equal to 'Acrovyn'
7001	Windows					desirable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection
350	Artwork	Furniture/ Fitting	3	1	optional
1250	Blind: Venetian	Metalwork	3	1	to external window as required
1700	Chair: dining	Furniture/ Fitting	3	3	with space for wheelchair
23000	Table: dining	Furniture/ Fitting	3	1	

Fixtures, Equipment and associated Services (FE)

Services

ID	Description	Service Category	Qty	Remarks
5000	Airconditioning	HVAC		
6110	Downlights: dimmable	Lighting		optional
6000	General fluorescent	Lighting		
8080	Emergency call	Nurse Call	1	+ indicator button & light
8000	Patient/ Staff call	Nurse Call	2	+ indicator button & light

Australasian 🗮 🎜 🕻

Provided by HPI for : HCAMC & UNSW

Issue No: 1 Issue Date: 4 Aug 2005

Print Date:

4 Aug 2005 Page 1 of 2

Australasian Standard Project

Room Data Sheets

Department Standard Components Room Tag: 1130

Room Name ADL Dining Room Room Code: ADLD

ID	Description	Service Category	Qty	Remarks
8010	Staff/ Nurse assist call	Nurse Call	1	+ indicator button & light
9040	Body protected	Power		
9001	GPO: Double	Power	1	