

# Australasian Standard Project

## Room Data Sheets

<b>Department</b>	<b>Standard Components</b>	<b>Room Tag: 2500</b>
<b>Room Name</b>	<b>Goods Receipt - Pharmacy</b>	<b>Room Code: GRE</b>
<b>Area</b>	5.0 M2	
<b>No of Rooms</b>	1	
<b>Subtotal of Area</b>	5.0 M2	
<b>Hours of Operation</b>	8am to 6pm, daily	
<b>Occupancy</b>	1 - 2 intermittently	
<b>Also covers these Rooms</b>		
<b>Description/ Special Requirements</b>	The Goods Receipt is an area for receiving deliveries of pharmaceuticals and other goods, unpacking and checking deliveries and despatch into the Pharmacy area. The entry into Goods Receipt and doors into Pharmacy are secured; the entry doors will require an intercom to alert staff of a delivery.	
<b>Amendment</b>	08.04.05, - First Draft	

### Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5010	Ceiling	Plasterboard	Paint, washable	Flush set, suspended		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		Equal to Acrovyn
8040	Door protection	Composite	Prefinished PVC	To door frame		Equal to Acrovyn
9110	Doors	Solid Core	Paint	1 1/2 leaf		1400mm clear opening, lockable, observation panel in internal door only
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
4020	Wall protection	Composite	Prefinished PVC	Crash rail at 900 AFFL		Equal to Acrovyn

### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection
1050	Bench: laminate	Furniture/ Fitting	1	1	1000mm AFFL
19800	Shelf: laminate	Furniture/ Fitting	1	1	over bench

### Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection
11400	Computer: PC & monitor	3	1	yes	yes	—	—	—	—	—	—	flat screen, optional

### Services

ID	Description	Service Category	Qty	Remarks
1040	Intercom	Communications	1	audiovisual type to external door
1006	Voice / Data outlet: double	Communications	1	1 outlet for telephone
5000	Airconditioning	HVAC		

**Australasian Standard Project**  
**Room Data Sheets**

Department	Standard Components	Room Tag: 2500
Room Name	Goods Receipt - Pharmacy	Room Code: GRE

ID	Description	Service Category	Qty	Remarks
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	2	