

Australasian Standard Project

Room Data Sheets

| | | |
|--|--|---------------------------|
| Department | Standard Components | Room Tag: 2510 |
| Room Name | Gymnasium, 45m2 | Room Code: GYAH-45 |
| Area | 45.0 M2 | |
| No of Rooms | 1 | |
| Subtotal of Area | | |
| Hours of Operation | 8am to 6pm daily | |
| Occupancy | Up to 10 | |
| Also covers these Rooms | | |
| Description/ Special Requirements | <p>The Gymnasium provides for patient evaluation, rehabilitation exercise activities, therapy and ambulation training. An external outlook is desirable. The equipment to be used in this area will be dependent on the function of the gym and the Operational Policy.</p> <p>Acoustics: Acoustic privacy required.</p> <p>Body protected electrical area</p> | |
| Amendment | <p>24.01.05, - First Draft</p> <p>22.03.05, - BOB User review, data outlets added</p> | |

Room Fabric and outline specifications

| ID | Fabric | Material | Finish | Specification | Selection | Remarks |
|------|-----------------|-------------------|-------------------------|--------------------------------|-----------|---|
| 5030 | Ceiling | Plasterboard | Prefinished | Drop-in tiles, 600x1200 | | |
| 6030 | Cornice | Aluminium | Powdercoat | 24mm shadow angle | | |
| 8010 | Door protection | Composite | Prefinished PVC | Protection plate to 900 AFFL | | Equal to Acrovyn |
| 8040 | Door protection | Composite | Prefinished PVC | To door frame | | Equal to Acrovyn |
| 9225 | Doors | Solid Core/ glass | Paint | Double leaf, observation panel | | 1400 mm clear opening, lockable |
| 1000 | Floor finish | Vinyl | Standard slip resistant | Seamless, coved | | |
| 2000 | Skirting | Vinyl | Prefinished | Floor vinyl coved, 150 mmH | | |
| 3000 | Wall finish | Paint | Acrylic, washable | | | |
| 3060 | Wall finish | Vinyl | Prefinished | Splashback | | to basin, tiles also acceptable |
| 7001 | Windows | | | | | desirable, may require obscure / mirrored glass |

Fittings and Furniture (FF)

| ID | Description | Category | Group | Qty | Selection |
|------|---------------------------|--------------------|-------|-----|-----------------------|
| 1050 | Bench: laminate | Furniture/ Fitting | 1 | 1 | optional |
| 1650 | Chair: client | Furniture/ Fitting | 3 | 2 | |
| 3350 | Clock: battery operated | Furniture/ Fitting | 3 | 1 | |
| 4430 | Cupboard: drawer unit | Furniture/ Fitting | 1 | 1 | under bench, optional |
| 4410 | Cupboard: under bench | Furniture/ Fitting | 1 | 1 | optional |
| 4460 | Cupboard: wall mounted | Furniture/ Fitting | 1 | 1 | over bench, optional |
| 4600 | Curtain track: bed screen | Metalwork | 1 | 2 | to plinths |
| 5000 | Curtain: bed screen | Furniture/ Fitting | 3 | 2 | |

Australasian Standard Project

Room Data Sheets

Department
Room Name

Standard Components
Gymnasium, 45m2

Room Tag: 2510
Room Code: GYAH-45

| ID | Description | Category | Group | Qty | Selection |
|-------|-----------------------------------|--------------------|-------|-----|----------------------|
| 6154 | Dispenser: paper/ hand towel | Furniture/ Fitting | 2 | 2 | to basin & sink |
| 6156 | Dispenser: soap | Furniture/ Fitting | 2 | 2 | to basin & sink |
| 7520 | Exercise bicycle | Furniture/ Fitting | 3 | 2 | |
| 7530 | Exercise stairs | Furniture/ Fitting | 3 | 1 | |
| 13800 | Mirror: full length | Metalwork | 1 | 1 | to 1 wall |
| 16780 | Parallel bars | Furniture/ Fitting | 3 | 1 | removable |
| 17630 | Plinth | Furniture/ Fitting | 3 | 2 | |
| 18170 | Pulley weights: wall mounted | Furniture/ Fitting | 3 | 1 | optional |
| 13645 | Steel mesh: framed, ceiling mount | Metalwork | 1 | 2 | to plinths, optional |
| 13646 | Steel mesh: framed, wall mount | Metalwork | 1 | 2 | to plinths, optional |
| 24100 | Waste bin: paper, 20 Litre | Furniture/ Fitting | 3 | 1 | to basin |

Fixtures, Equipment and associated Services (FE)

| ID | Description | Group | Qty | Ele | Data | CdW | HtW | WmW | Tap | Dns | Gas | Selection |
|-------|--------------------------------|-------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----------------------|
| 2800 | Basin: handwash, Type B | 1 | 1 | ___ | ___ | yes | ___ | yes | yes | yes | ___ | refer to BHWS-B (sim) |
| 47890 | Sink & drainer: single, 930mmL | 1 | 1 | ___ | ___ | yes | opt | opt | yes | yes | ___ | optional |
| 54510 | Telephone: handset, standard | 3 | 1 | ___ | yes | ___ | ___ | ___ | ___ | ___ | ___ | wall telephone |

Services

| ID | Description | Service Category | Qty | Remarks |
|------|-----------------------------|------------------|-----|----------------------------|
| 1000 | Telephone: PABX | Communications | 1 | wall telephone |
| 1006 | Voice / Data outlet: double | Communications | 1 | |
| 1006 | Voice / Data outlet: double | Communications | 2 | 1 to each plinth space |
| 5000 | Airconditioning | HVAC | | |
| 6000 | General fluorescent | Lighting | | |
| 8080 | Emergency call | Nurse Call | 1 | + indicator button & light |
| 8005 | Patient call handset | Nurse Call | 2 | call button on the handset |
| 8000 | Patient/ Staff call | Nurse Call | 2 | + indicator button & light |
| 8010 | Staff/ Nurse assist call | Nurse Call | 1 | + indicator button & light |
| 9040 | Body protected | Power | | |
| 9015 | GPO: Cleaner | Power | 1 | |
| 9001 | GPO: Double | Power | 8 | |