# Australasian Standard Project
## Room Data Sheets

| | | | |
|---|---|---|---|
| **Department\ Room Name** | Standard Components<br>Gymnasium, 60m2 | **Room Tag:** | **2520** |
| | | **Room Code:** | **GYAH-60** |

| | |
|---|---|
| **Area** | 60.0 M2 |
| **No of Rooms** | 1 |
| **Subtotal of Area** | |
| **Hours of Operation** | 8am to 6pm daily |
| **Occupancy** | Up to 13 patients/ hour; up to 4 staff |
| **Also covers these Rooms** | |
| **Description/ Special Requirements** | The Gymnasium provides for patient evaluation, rehabilitation exercise activities, therapy and ambulation training. An external outlook is desirable. The equipment to be used in this area will be dependent on the funtion of the gym and the Operational Policy.<br><br>Acoustics: Acoustic privacy required.<br><br>Body protected electrical area |
| **Amendment** | 24.01.05, - First Draft<br>22.03.05, - BOB User review, data points added |

## Room Fabric and outline specifications

| ID | Fabric | Material | Finish | Specification | Selection | Remarks |
|---|---|---|---|---|---|---|
| 5030 | Ceiling | Plasterboard | Prefinished | Drop-in tiles, 600x1200 | | flush set plasterboard ceiling also acceptable |
| 6030 | Cornice | Aluminium | Powdercoat | 24mm shadow angle | | |
| 8010 | Door protection | Composite | Prefinished PVC | Protection plate to 900 AFFL | | Equal to 'Acrovyn' |
| 8040 | Door protection | Composite | Prefinished PVC | To door frame | | Equal to 'Acrovyn' |
| 9225 | Doors | Solid Core/ Glass | Paint | Double leaf, observation panel | | 1400 mm clear opening, lockable |
| 1000 | Floor finish | Vinyl | Standard slip resistant | Seamless, coved | | |
| 2000 | Skirting | Vinyl | Prefinished | Floor vinyl coved, 150 mmH | | cushioned vinyl optional |
| 3000 | Wall finish | Paint | Acrylic, washable | | | |
| 3060 | Wall finish | Vinyl | Prefinished | Splashback | | to basin & sink, tiles also acceptable |
| 7001 | Windows | | | | | desirable |

## Fittings and Furniture (FF)

| ID | Description | Category | Group | Qty | Selection |
|---|---|---|---|---|---|
| 1050 | Bench: laminate | Furniture/ Fitting | 1 | 1 | optional |
| 1250 | Blind: Venetian | Metalwork | 3 | 1 | 1 to each external/ internal window, if provided |
| 1650 | Chair: client | Furniture/ Fitting | 3 | 2 | |
| 3350 | Clock: battery operated | Furniture/ Fitting | 3 | 1 | |
| 4430 | Cupboard: drawer unit | Furniture/ Fitting | 1 | 1 | under bench, optional |
| 4410 | Cupboard: under bench | Furniture/ Fitting | 1 | 1 | optional |
| 4460 | Cupboard: wall mounted | Furniture/ Fitting | 1 | 1 | over bench, optional |

Provided by HPI for :
HCAMC
Issue No: 2
Issue Date: 23 May 2006
Print Date: 23 May 2006
Page 1 of 2

This document is for advisory purpose only

| Department | Standard Components | Room Tag: | 2520 |
|---|---|---|---|
| Room Name | Gymnasium, 60m2 | Room Code: | GYAH-60 |

| ID | Description | Category | Group | Qty | Selection |
|---|---|---|---|---|---|
| 4600 | Curtain track: bed screen | Metalwork | 1 | 2 | to plinth spaces |
| 5000 | Curtain: bed screen | Furniture/ Fitting | 3 | 2 | to plinth spaces |
| 6152 | Dispenser: disposable glove | Furniture/ Fitting | 2 | 1 | |
| 6154 | Dispenser: paper/ hand towel | Furniture/ Fitting | 2 | 2 | to basin & sink |
| 6156 | Dispenser: soap | Furniture/ Fitting | 2 | 2 | to basin & sink |
| 6158 | Dispenser: soap antiseptic | Furniture/ Fitting | 2 | 1 | to basin |
| 7520 | Exercise bicycle | Furniture/ Fitting | 3 | 2 | optional |
| 7530 | Exercise stairs | Furniture/ Fitting | 3 | 1 | optional |
| 12450 | Locker: bedside | Furniture/ Fitting | 3 | 2 | or trolley, to plinth spaces |
| 13800 | Mirror: full length | Metalwork | 1 | 1 | to one wall |
| 16780 | Parallel bars | Furniture/ Fitting | 3 | 1 | min 5 metres long |
| 17630 | Plinth | Furniture/ Fitting | 3 | 2 | |
| 18170 | Pulley weights: wall mounted | Furniture/ Fitting | 3 | 1 | optional |
| 13645 | Steel mesh: framed, ceiling mount | Metalwork | 1 | 2 | to plinths, optional |
| 13646 | Steel mesh: framed, wall mount | Metalwork | 1 | 2 | to plinths, optional |
| 24100 | Waste bin: paper, 20 Litre | Furniture/ Fitting | 3 | 1 | to basin |

## Fixtures, Equipment and associated Services (FE)

| ID | Description | Group | Qty | Ele | Data | CdW | HtW | WmW | Tap | Dns | Gas | Selection |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2800 | Basin: handwash, Type B | 1 | 1 | ___ | ___ | yes | ___ | yes | yes | yes | ___ | refer to BHWS (sim) |
| 47890 | Sink & drainer: single, 930mmL | 1 | 1 | ___ | ___ | yes | opt | opt | yes | yes | ___ | optional, hot water |
| 54510 | Telephone: handset, standard | 3 | 1 | ___ | yes | ___ | ___ | ___ | ___ | ___ | ___ | wall phone |

## Services

| ID | Description | Service Category | Qty | Remarks |
|---|---|---|---|---|
| 1000 | Telephone: PABX | Communications | 1 | to wall phone |
| 1006 | Voice / Data outlet: double | Communications | 1 | |
| 1006 | Voice / Data outlet: double | Communications | 1 | 1 to each plinth space |
| 5000 | Airconditioning | HVAC | | |
| 6000 | General fluorescent | Lighting | | |
| 8080 | Emergency call | Nurse Call | 1 | + indicator button & light |
| 8005 | Patient call handset | Nurse Call | 2 | call button on the handset |
| 8000 | Patient/ Staff call | Nurse Call | 2 | + indicator button & light |
| 8010 | Staff/ Nurse assist call | Nurse Call | 1 | + indicator button & light |
| 9040 | Body protected | Power | | |
| 9015 | GPO: Cleaner | Power | 1 | |
| 9001 | GPO: Double | Power | 9 | quantity will be determined by equipment to be used and Operational Policy |

Australasian HFG

Provided by HPI for :

HCAMC

Issue No: 2

Issue Date: 23 May 2006

Print Date: 23 May 2006

Page 2 of 2

This document is for advisory purpose only