

Australasian Standard Project

Room Data Sheets

Department	Standard Components	Room Tag: 3080
Room Name	Mortuary - Waiting	Room Code: MOR-W
Area	9.0 M2	
No of Rooms	1	
Subtotal of Area	9.0 M2	
Hours of Operation	24 Hours	
Occupancy	Up to 4	
Also covers these Rooms		
Description/ Special Requirements	The Mortuary Waiting provides an area for relatives and other personnel to await the viewing of a body. The area should be comfortable and non-clinical in appearance. The Viewing Room will be located adjacent to the Waiting Room.	
Amendment	14.03.05, - First Draft 21.03.05, - BOB User review, bench deleted, basin added	

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5010	Ceiling	Plasterboard	Paint, washable	Flush set, suspended		plasterboard drop in tile ceiling also acceptable
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9001	Doors	Solid Core	Paint	Single leaf		910mm clear opening, lockable
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		to basin area
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
3060	Wall finish	Vinyl	Prefinished	Splashback		to basin, tiles also acceptable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection
350	Artwork	Furniture/ Fitting	3	1	optional
530	Basin vanity top	Furniture/ Fitting	1	1	
2655	Chair: visitor	Furniture/ Fitting	3	3	
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to basin
6156	Dispenser: soap	Furniture/ Fitting	2	1	to basin
12750	Lounge: 2 seat	Furniture/ Fitting	3	1	
22800	Table: low	Furniture/ Fitting	3	1	
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	to basin

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection
3120	Basin: vanity	1	1	—	—	yes	—	yes	yes	yes	—	

Australasian Standard Project
Room Data Sheets

Department | **Standard Components**
Room Name | **Mortuary - Waiting**

Room Tag: 3080
Room Code: MOR-W

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection
54510	Telephone: handset, standard	3	1	—	yes	—	—	—	—	—	—	wall phone

Services

ID	Description	Service Category	Qty	Remarks
1000	Telephone: PABX	Communications	1	wall phone
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
6046	Indirect lighting	Lighting		optional
9000	GPO: Single	Power	2	