

Australasian Standard Project

Room Data Sheets

Department	Standard Components	Room Tag: 3250
Room Name	Office - Write-up, 3m2	Room Code: OFF-WI-3
Net Room Area	3.0 M2	
No of Rooms	1	
Subtotal of Briefed Area	3.00 M2	
Hours of Operation	24 Hours	
Occupancy	1	
Also covers these Rooms		
Description/ Special Requirements	The Office Write-up provides a write-up bench/desk for use by members of the patient care team. In this space the User may review and write-up patient records, enter patient data on computer and make telephone calls.	
	The Office write-up space must be recessed in patient care areas so as not to impede the corridor.	
Amendment	24.01.05, - First Draft 15.12.08, - 2008 AUSHFG Review; fabric options modified, description modified, services modified	

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		Default = vinyl: carpet also acceptable
7035	Observation	Alum/ Glass	Powdercoat	Internal window		Optional
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		Default = vinyl: or featheredge skirting over carpet
3000	Wall finish	Paint	Acrylic, washable			
4031	Wall protection	Composite	Prefinished PVC	Corner guards to 1500 AFFL		las required, if bay recessed

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	at 720H or 900H, or desk
2100	Chair: ergonomic, office	Furniture/ Fitting	3	1	or high ergonomic chair for 900H bench
17360	Pinboard: fabric covered	Furniture/ Fitting	1	1	above bench, optional
20000	Shelving unit: adjustable	Furniture/ Fitting	1	1	above bench, optional
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection / Remarks
11400	Computer: PC & monitor	3	1	yes	yes	—	—	—	—	—	—	optional
54510	Telephone: handset, standard	3	1	—	yes	—	—	—	—	—	—	

Services

ID	Description	Service Category	Qty	Selection / Remarks



Provided by HPI for AHIA & UNSW for :
Australasian HFG

Issue No: 3 Print Date: 1 Apr 2009
Issue Date: 1 Apr 2009 Page 1 of 2

Australasian Standard Project

Room Data Sheets

Department	Standard Components	Room Tag: 3250
Room Name	Office - Write-up, 3m2	Room Code: OFF-WI-3

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	1	1 outlet for telephone
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
6055	Special: task light, built in	Lighting	1	under O/H shelving if provided
9001	GPO: Double	Power	2	