Department Standard Components Room Tag: 3310

Room Name Overnight Stay - Bedroom Room Code: OVBR

Net Room Area Briefed 10.0 M2

No of Rooms

Subtotal of Briefed Area 10.00 M2

Hours of Operation Available 24 Hours

Occupancy

Description/

Also covers these Rooms

Special Requirements

A single Bedroom with an adjoining Ensuite for clinical staff or parents needing to remain on close call overnight. The room shall be lockable. An external outlook is required.

Acoustics: Acoustic privacy required.

Amendment 24.01.05, - First Draft

15.12.08, - 2008 AUSHFG Review; fabric and furniture amended

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9001	Doors	Solid Core	Paint	Single leaf		910mm clear opening, lockable
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
7001	Windows					essential

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
690	Bed: domestic, single	Furniture/ Fitting	3	1	
2100	Chair: ergonomic, office	Furniture/ Fitting	3	1	to desk
4330	Cupboard: wardrobe	Furniture/ Fitting	3	1	
4900	Curtain track: window	Metalwork	1	1	
5410	Curtain: window, drapes	Furniture/ Fitting	3	1	or blinds
5900	Desk	Furniture/ Fitting	3	1	small
22690	Table: bedside	Furniture/ Fitting	3	1	
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Тар	Dns	Gas	Selection / Remarks
44000	Refrigerator: 120 Litre, domestic	3	1	yes								optional
54510	Telephone: handset, standard	3	1		yes							

Australasian Standard Project

Room Data Sheets

Department Standard Components Room Tag: 3310

Room Name Overnight Stay - Bedroom Room Code: OVBR

Services

ID	Description	Service Category	Qty	Selection / Remarks
1006	Voice / Data outlet: double	Communications	1	
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	2	
9060	GPO: Special: for equipment	Power	1	refrigerator, optional