



ADL Kitchen

Room Code	ADLK
Briefed Area	12.00 m ²
Ceiling Height	2.7 m
Occupancy	1-2 patients; 1-2 staff
Hours of Operation	Up to 24 hours (dependent on unit operating hours)

Description | The ADL Kitchen provides an accessible space for the training and assessment of patients in Activities of Daily Living (ADL) tasks. The space is to be functional for a range of patients including wheelchair users.

Electrical | PROTECTION: body protected
PROTECTION: cardiac protected

Lighting | LIGHTING: general
LIGHTING: colour corrected
LIGHTING: dimmable
LIGHTING: indirect

Nurse Call and Duress | NURSE CALL SYSTEM: buttons / handset

HVAC | AIRCONDITIONING: general
AIRCONDITIONING: HEPA filtered
AIRCONDITIONING: positive pressure
AIRCONDITIONING: negative pressure
VENTILATION: exhaust
VENTILATION: natural

Additional Considerations

- The kitchen can include a combination of fittings and appliances such as a sink, cooktop, oven/grill, microwave and refrigerator to support common ADL training and assessment tasks as per service requirements. Room exhaust to be provided to range hood over cooktop.
- An operational model for responding to calls from staff/patients will be needed to support the inclusion of a nurse call system and is to be determined based on service requirements. If multiple ADL rooms are combined into an ADL suite nurse call buttons can be rationalised into a central location.
- The room may be enclosed with a lockable door depending on security requirements.
- External outlook and access to natural light is desirable.



Doors and Windows

CODE	DESCRIPTION	COMMENT
WIFX-161.01	WINDOW: fixed, external, double glazed, sill at 1500H	[DWWH-005] desirable
AHWCV-001	WINDOW COVERING: blind, roller, single	[DWWD-004]



Finishes

CODE	DESCRIPTION	COMMENT
FLVY-101	FLOOR FINISH: vinyl, seamless, standard slip resistance	[FLVY-007] floor finish must be minimum slip rating R10; pendulum P3 or agreed equivalent around sink
FLSK-021	SKIRTING: vinyl, integral with floor vinyl, coved	[FLSK-010]
WLFI-001	WALL FINISH: paint	[WLWA-004]
WLFI-101	SPLASHBACK: vinyl	[WLWA-007]

CODE	DESCRIPTION	COMMENT
CLTI-022.02	CEILING: drop-in tiles, acoustic, prefinished, 600 x 1200	[CLTI-002] flush set ceiling is also acceptable
CLCN-041	CORNICE: wall trim fixing, prefinished	[CLCN-009] square set cornice acceptable if flush set ceiling is provided



Joinery

CODE	DESCRIPTION	GROUP	QTY	COMMENT
JOBE-031	BENCH: 600D, laminate	1	2	[FIJO-059]
JOBE-031	BENCH: 600D, laminate	1	2	[FIJO-020]
JOBE-221	BENCH SUPPORT: end panel	1	3	[FIJO-213]
JOCU-001	CUPBOARD: tall, single door	1	1	[FIJO-131]
JOCU-051	CUPBOARD: tall, with built in oven	1	1	[FIJO-223]
JOCU-101	CUPBOARD: wall mounted, single door	1	2	[FIJO-156]
JOCU-121	CUPBOARD: wall mounted, double door	1	1	[FIJO-143]
JODW-001	DRAWER: under bench, single	1	6	[FIJO-205]
JOGE-001	BULKHEAD: joinery	1	2	[FIJO-212] plasterboard bulkhead also acceptable
JOGE-011	PANEL: fixed, infill	1	5	[FIJO-224] to sink and cooktop



Fittings, Furniture and Equipment (FF&E)

CODE	DESCRIPTION	GROUP	QTY	COMMENT
FIBM-019	WHITEBOARD: fixed, magnetic	2	1	[FIBM-019]
FIDI-231	DISPENSER: paper towel, wall mounted	2	1	[FIDI-025] to sink
FIDI-256	DISPENSER: soap, wall mounted	2	1	[FIDI-030] to sink
FQCA-101	APPLIANCE: microwave, benchtop, domestic	3	1	[FQCA-067] on bench
FQCA-121	APPLIANCE: toaster, benchtop, domestic	3	1	[FQCA-080]
FQCA-141	APPLIANCE: kettle, electric, benchtop, domestic	3	1	[FQCA-046]
FQCA-272	COOKTOP: electric, induction, domestic	1	1	[FQCA-089] controls to be located close to front
FQCA-321	RANGEHOOD: electric, domestic	1	1	[FQCA-072] over cooktop
FQCA-341	OVEN: electric, domestic	1	1	[FQCA-063] retractable/side opening doors
FQCA-402	FRIDGE: domestic, 300L nom, single door	3	1	[FQCA-031]
FQSM-051	PEDESTAL: mobile, 660H nominal, 2 equal wire basket drawers	3	1	[FQSM-040] under bench
FQWS-051	BIN: general waste, 20L	3	1	[FQCW-016]
HYBA-323	SINK: 1 1/2 bowl, with drainer	1	1	[HYBA-041] heat lined, warm water
HYTP-152	TAPWARE: sink, mixer, fixture mounted, accessible	1	1	[HYTP-040]



Engineering Services

CODE	DESCRIPTION	GROUP	QTY	COMMENT
ELGE-001	DIRECT CONNECTION: power	1	2	[ELGE-001] to cooktop and oven

CODE	DESCRIPTION	GROUP	QTY	COMMENT
ELGP-101	GPO: single, wall mounted	①	2	[ELGP-109] to range hood and fridge
ELGP-201	GPO: double, wall mounted	①	4	[ELGP-208]
ELPR-071	RCD: residual current device, wall mounted	①	1	[ELPR-006]
ELSW-001	SWITCH: light	①	1	[ELBO-015]
ELSW-101	SWITCH: isolation	①	1	[ELBO-007] to cooktop and oven

For guidance on how to use the Room Data Sheet, please visit the [AusHFG website](#).