



Bay - Multifunction Device, 7m²

Room Code	BMFD-7
Briefed Area	7.00 m ²
Ceiling Height	2.7 m
Occupancy	1-2 staff intermittently
Hours of Operation	Up to 24 hours (dependent on unit operating hours)

Description | The Bay - Multifunction Device, 7m² provides an open bay with the space and amenities to support printing, scanning and photocopying, storage of stationery, and waste management for paper recycling and secure document disposal.

Electrical | PROTECTION: body protected
PROTECTION: cardiac protected

Lighting | LIGHTING: general
LIGHTING: colour corrected
LIGHTING: dimmable
LIGHTING: indirect

Nurse Call and Duress | NURSE CALL SYSTEM: buttons / handset

HVAC | AIRCONDITIONING: general
AIRCONDITIONING: HEPA filtered
AIRCONDITIONING: positive pressure
AIRCONDITIONING: negative pressure
VENTILATION: exhaust
VENTILATION: natural

Additional Considerations

- Ventilation requirements for multifunction device to be confirmed at project level to suit selected equipment.
- Clearance area around the multifunction device is required to allow users to easily open panels on the equipment, e.g. for refilling paper, changing ink and clearing paper jams. Clearance requirements will be dependent on selected equipment specifications.
- Adjacent circulation space must allow for intermittent use and restocking of the bay.



Finishes

CODE	DESCRIPTION	COMMENT
FLVY-101	FLOOR FINISH: vinyl, seamless, standard slip resistance	[FLVY-007]
FLSK-021	SKIRTING: vinyl, integral with floor vinyl, coved	[FLSK-010]
WLFI-001	WALL FINISH: paint	[WLWA-004] to suit clinical areas and associated cleaning regimes/products depending on unit
CLTI-021	CEILING: drop-in tiles, prefinished	[CLTI-007] coordinated with adjacent area
CLCN-041	CORNICE: wall trim fixing, prefinished	[CLCN-009] to be coordinated with adjacent area
WLPR-006.01	WALL PROTECTION: corner guards, to 900 AFFL	[WLPR-010] height to align with adjacent wall protection and suit equipment movement in adjacent area



Joinery

CODE	DESCRIPTION	GROUP	QTY	COMMENT
JOBE-031	BENCH: 600D, laminate	1	1	[FIJO-059]
JOCU-001	CUPBOARD: tall, single door	1	1	[FIJO-129] configuration and extent of stationary storage to suit service

CODE	DESCRIPTION	GROUP	QTY	COMMENT
				requirements, floor standing and mobile storage solutions are also acceptable
JOCU-221	CUPBOARD: under bench, double door	①	2	[FIJO-136]
JOGE-001	BULKHEAD: joinery	①	2	[FIJO-212] 1 to tall cupboard, 1 to wall mounted shelf units
JOSH-101	SHELF UNIT: wall mounted, adjustable shelves	①	2	[FIJO-152]



Fittings, Furniture and Equipment (FF&E)

CODE	DESCRIPTION	GROUP	QTY	COMMENT
FIBM-019	WHITEBOARD: fixed, magnetic	②	1	[FIBM-019] optional
FQWS-098	BIN: recycling, paper/cardboard, 240L	③	1	[FQCW-029] type, size and quantity of bins is to suit waste management policies and may be consolidated with bins provided in adjacent areas
FQWS-218	BIN: confidential document, secure, 240L	③	1	[FQCW-038] type, size and quantity of bins is to suit waste management policies and may be consolidated with bins provided in adjacent areas
ITNE-302	MULTIFUNCTION DEVICE: printer/copier/scanner/fax, floor standing	③	1	[ITNE-021] recommended manufacturer clearance zones to be considered, bins and other easily moveable items may be within clearance zones



Engineering Services

CODE	DESCRIPTION	GROUP	QTY	COMMENT
ELGP-201	GPO: double, wall mounted	①	1	[ELGP-208] locate to suit reach of cords and for access without moving multifunction device
ELGP-201	GPO: double, wall mounted	①	1	[ELGP-208] over bench
ITIN-026	OUTLET: data, double RJ45, wall mounted	①	1	[ITIN-026] locate to suit reach of cords and for access without moving multifunction device

For guidance on how to use the Room Data Sheet, please visit the [AusHFG website](#).