



Bay - Wheelchair Park

Room Code	BWC
Briefed Area	4.00 m ²
Ceiling Height	2.7 m
Occupancy	accessed intermittently
Hours of Operation	Up to 24 hours (dependent on unit operating hours)

Description | An open bay for storing wheelchairs. Typically located in close proximity to the main entrance or department entry.

Electrical	PROTECTION: body protected	<input type="checkbox"/>	HVAC	AIRCONDITIONING: general	<input checked="" type="checkbox"/>
	PROTECTION: cardiac protected	<input type="checkbox"/>		AIRCONDITIONING: HEPA filtered	<input type="checkbox"/>
Lighting	LIGHTING: general	<input checked="" type="checkbox"/>	AIRCONDITIONING: positive pressure	<input type="checkbox"/>	
	LIGHTING: colour corrected	<input type="checkbox"/>	AIRCONDITIONING: negative pressure	<input type="checkbox"/>	
	LIGHTING: dimmable	<input type="checkbox"/>	VENTILATION: exhaust	<input type="checkbox"/>	
	LIGHTING: indirect	<input type="checkbox"/>	VENTILATION: natural	<input type="checkbox"/>	
Nurse Call and Duress	NURSE CALL SYSTEM: buttons / handset	<input type="checkbox"/>			

Additional Considerations

- The bay should be deep enough to ensure that wheelchairs do not impede adjacent circulation space
- A minimum depth of 1300mm is recommended.
- The ability to secure wheelchairs (e.g. with locks or by enclosing the bay) to be considered as required.



Finishes

CODE	DESCRIPTION	COMMENT
FLVY-101	FLOOR FINISH: vinyl, seamless, standard slip resistance	[FLVY-007] to be coordinated with adjacent area
FLSK-021	SKIRTING: vinyl, integral with floor vinyl, coved	[FLSK-010] to be coordinated with adjacent area
WLFI-001	WALL FINISH: paint	[WLWA-004]
WLFI-011.04	WALL FINISH: vinyl, to 1500 AFFL	[WLWA-020] crash rails are also acceptable
CLTI-021.02	CEILING: drop-in tiles, prefinished, 600 x 1200	[CLTI-008] to be coordinated with adjacent area
CLCN-041	CORNICE: wall trim fixing, prefinished	[CLCN-009] to be coordinated with adjacent area
WLPR-006	WALL PROTECTION: corner guards	[WLPR-006] coordinated with adjacent wall protection



Fittings, Furniture and Equipment (FF&E)

CODE	DESCRIPTION	GROUP	QTY	COMMENT
MMBE-081	WHEELCHAIR: patient	3	2	[MMBE-045] quantity to suit service requirements
MMBE-082	WHEELCHAIR: patient, bariatric	3	1	[MMBE-050] quantity to suit service requirements



CODE	DESCRIPTION	GROUP	QTY	COMMENT
ELGP-201	GPO: double, wall mounted	①	1	[ELGP-208] optional

For guidance on how to use the Room Data Sheet, please visit the [AusHFG website](#).