



## Clean Store, 10m2

Room Code	CLN-10
Briefed Area	10.00 m <sup>2</sup>
Ceiling Height	2.7 m
Occupancy	1-2 staff intermittently
Hours of Operation	Up to 24 hours (dependent on unit operating hours)

**Description** | The Clean Store, 10m2 provides space for the storage of clean consumables and equipment for patient care.

<b>Electrical</b>	PROTECTION: body protected	<input type="checkbox"/>	<b>HVAC</b>	AIRCONDITIONING: general	<input checked="" type="checkbox"/>
	PROTECTION: cardiac protected	<input type="checkbox"/>		AIRCONDITIONING: HEPA filtered	<input type="checkbox"/>
<b>Lighting</b>	LIGHTING: general	<input checked="" type="checkbox"/>	AIRCONDITIONING: positive pressure	<input type="checkbox"/>	
	LIGHTING: colour corrected	<input type="checkbox"/>	AIRCONDITIONING: negative pressure	<input type="checkbox"/>	
	LIGHTING: dimmable	<input type="checkbox"/>	VENTILATION: exhaust	<input type="checkbox"/>	
	LIGHTING: indirect	<input type="checkbox"/>	VENTILATION: natural	<input type="checkbox"/>	
<b>Nurse Call and Duress</b>	NURSE CALL SYSTEM: buttons / handset	<input type="checkbox"/>			

### Additional Considerations



## Doors and Windows

CODE	DESCRIPTION	COMMENT
DOHI-043.01	DOOR: hinged, 1 leaf, 900 clear opening, solid, wide vision panel	[DWGL-003]
AFDPR-006.01	DOOR PROTECTION: plate, to 900H	[DWPR-005] to room side
AFDPR-006.01	DOOR PROTECTION: plate, to 900H	[DWPR-005] to corridor side, extent dependent on movement of beds and mobile equipment in adjacent area; to be coordinated with corridor wall protection
AFDPR-056.03	DOOR FRAME PROTECTION: full wrap, to 1200H	[DWPR-010] optional



## Finishes

CODE	DESCRIPTION	COMMENT
FLVY-101	FLOOR FINISH: vinyl, seamless, standard slip resistance	[FLVY-007]
FLSK-021	SKIRTING: vinyl, integral with floor vinyl, coved	[FLSK-010]
WLFI-001	WALL FINISH: paint	[WLWA-004]
WLFI-011.06	WALL FINISH: vinyl, to 2100 AFFL	[WLWA-023] extent dependent on type and height storage solution
CLFS-011	CEILING: flush set, suspended	[CLFS-006]
CLFI-002	CEILING FINISH: paint, clinical areas	[CLFS-006]
CLCN-031	CORNICE: square set	[CLCN-008]



## Joinery

CODE	DESCRIPTION	GROUP	QTY	COMMENT
JOBE-031	BENCH: 600D, laminate	①	1	[FIJO-059] desk is also acceptable
JODW-032	DRAWER UNIT: under bench, 3 drawers, equal, wire baskets	①	2	[FIJO-108] remove if desk provided in lieu of bench



## Fittings, Furniture and Equipment (FF&E)

CODE	DESCRIPTION	GROUP	QTY	COMMENT
FIBM-019	WHITEBOARD: fixed, magnetic	②	1	[FIBM-019]
FIDI-241	DISPENSER: alcohol-based hand rub, wall mounted	②	1	[FIDI-001]
FQSM-152	STORAGE SOLUTION: modular system, mobile, 400D x 600W x 2100H nominal	③	5	[FQSM-046] type and quantity of storage options to be determined based on service requirements
FQSM-202	SHELVING UNIT: mobile, adjustable shelves, 400D x 600W x 2100H nominal	③	2	[FQSM-048] type and quantity of storage options to be determined based on service requirements



## Engineering Services

CODE	DESCRIPTION	GROUP	QTY	COMMENT
ELGP-201.01	GPO: double, wall mounted, horizontal	①	2	[ELGP-208]
ELSW-001	SWITCH: light	①	1	[ELBO-015]
ITIN-026	OUTLET: data, double RJ45, wall mounted	①	1	[ITIN-026]

For guidance on how to use the Room Data Sheet, please visit the [AusHFG website](#).