

| Room Name | General X-Ray | Room Number: GENXR |
|------------------------------------|---|--------------------|
| Last modified | 01/03/2016 | |
| Briefed Area | 30.00 | |
| Remarks | | |
| Occupancy | 1 patient; 1 - 2 staff | |
| Hours of Operation | <input checked="" type="checkbox"/> Available 24 Hours | |
| Acoustics | | |
| Description / Special Requirements | <p>General X-ray is a room for undertaking general radiographic procedures, which may be located within the Imaging Unit or within an emergency care area. Additional Design Requirements: - Radiation shielding to walls and glazing as advised by Radiation Consultant - Unistrut type ceiling may be required, depending on equipment to be installed - Cable ducting between the X-ray table, vertical bucky and control area may be required, depending on equipment type and layout - 'X-ray in Use' warning lights will be required outside each entry door Body Protected electrical area</p> | |

Room Fabrics

| AusHFG code | Description | Material | Finish | Specification | Comments |
|-------------|------------------------|--------------|-------------------------|----------------------------------|---------------------------------|
| 1000 | Floor finish | Vinyl | Standard slip resistant | Seamless, coved | |
| 3000 | Wall finish | Paint | Acrylic, washable | | |
| 3060 | Wall finish | Vinyl | Prefinished | Splashback | to basin, tiles also acceptable |
| 4030 | Wall protection | Composite | Prefinished PVC | Corner guards to 900 AFFL | Equal to 'Acrovyn', as required |
| 5030 | Ceiling - Plasterboard | Plasterboard | Prefinished | Drop-in tiles, 600x1200 | at 3000 mm AFFL |
| 8010 | Door protection | Composite | Prefinished PVC | Protection plate to 900 AFFL | Equal to 'Acrovyn' |
| 8040 | Door protection | Composite | Prefinished PVC | To door frame | Equal to 'Acrovyn' |
| 9230 | Doors | Solid Core | Paint | Double leaf, with lead shielding | |
| 6030 | Cornice | Aluminium | Powdercoat | 24mm shadow angle | |
| 2000 | Skirting | Vinyl | Prefinished | Floor vinyl coved, 150 mmH | |

Fittings and Furniture

| AusHFG code | Description | Group | Qty | Comments |
|-------------|-------------------------------|-------|-----|-------------------|
| FF-1050 | Bench - laminate | 1 | 1 | cupboards under |
| FF-11905 | Rack - lead apron | 1 | 1 | |
| FF-1465 | Bracket - suction bottle | 2 | 1 | |
| FF-150 | Air flowmeter | 3 | 1 | to services panel |
| FF-16250 | Oxygen flowmeter | 3 | 1 | to services panel |
| FF-1650 | Chair - client | 3 | 1 | |
| FF-22000 | Suction bottle | 3 | 1 | |
| FF-4410 | Cupboard - under bench | 1 | 1 | |
| FF-6152 | Dispenser - disposable glove | 2 | 1 | |
| FF-6154 | Dispenser - paper/ hand towel | 2 | 1 | to basin |
| FF-6156 | Dispenser - soap | 2 | 1 | to basin |

Room Name | General X-Ray

Room Number: GENXR

| AusHFG code | Description | Group | Qty | Comments |
|-------------|-----------------------------|-------|-----|----------|
| FF-6158 | Dispenser - soap antiseptic | 2 | 1 | to basin |
| FF-5824 | Waste bin - general | 3 | 1 | to basin |

Fixtures, Equipment and associated Services

| AusHFG code | Description | Grp | Qty | Ele | Data | CdW | HtW | WmW | Tap | Dns | Gas | Comments |
|-------------|---|-----|-----|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------|-----------------------|
| FE-2800 | Basin - handwash, Type B | 1 | 1 | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | refer to BHWS-B (sim) |
| FE-54520 | Telephone - handset, handsfree (WM) | 3 | 1 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| FE-61600 | IMG - bucky, chest | 1 | 1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| FE-62400 | IMG - control booth | 1 | 1 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| FE-66000 | IMG - X-ray table, floating top | 1 | 1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| FE-66600 | IMG - X-ray unit, general purpose | 1 | 1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| FE-68600 | Xray viewer - 1 screen | 1 | 1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| FE-62152 | IMG - console, control (integrated stand) | 1 | 1 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| FE-68400 | IMG: generator | 1 | 1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Service Requirements

| AusHFG code | Description | Comments |
|-------------|---------------------------|---------------------------------|
| S-9040 | Body protected | |
| S-5000 | Airconditioning | |
| S-6001 | General: colour corrected | |
| S-6110 | Downlights: dimmable | optional |
| S-12030 | Lead lining | to walls and doors as specified |

Services

| AusHFG code | Description | Group | Qty | Comments |
|-------------|----------------------------------|-------|-----|-------------------------------------|
| FF-21950 | Suction adapter | 3 | 1 | |
| S-9000 | GPO: Single | 1 | 2 | Bedhead low level, for electric bed |
| S-9010 | GPO: Emergency power, single (V) | 1 | 2 | monitor |
| S-9010 | GPO: Emergency power, single (V) | 1 | 4 | monitor |
| S-9001 | GPO: Double | 1 | 4 | |
| S-9040 | Body protected | 1 | 1 | |

Standard Components - Room Data Sheet

Room Name | General X-Ray

Room Number: GENXR

| AusHFG code | Description | Group | Qty | Comments |
|-------------|-----------------------------|-------|-----|---------------------------------|
| S-9060 | GPO: Special: for equipment | 1 | 2 | TV, ceiling |
| S-1006 | Voice / Data outlet: double | 1 | 2 | 1 outlet for telephone |
| S-1040 | Intercom | 1 | 1 | optional |
| S-5000 | Airconditioning | 1 | 1 | |
| S-6001 | General: colour corrected | 1 | 1 | |
| S-6200 | Light switches | 1 | 3 | |
| S-6110 | Downlights: dimmable | 1 | 1 | optional |
| S-8010 | Staff/ Nurse assist call | 1 | 1 | + indicator button & light |
| S-8080 | Emergency call | 1 | 1 | + indicator button & light |
| S-1951 | Staff assist call | 1 | 1 | + indicator button & light |
| S-7000 | Oxygen (O2) | 1 | 1 | |
| S-7020 | Medical Air (MA) | 1 | 1 | |
| S-7040 | Suction | 1 | 1 | |
| S-11000 | Wall panel | 2 | 1 | patient services panels |
| S-12030 | Lead lining | 1 | 1 | to walls and doors as specified |