



## Pharmacy - Distribution Workstation

<b>Room Code</b>	PHA-DB
<b>Briefed Area</b>	6.00 m <sup>2</sup>
<b>Ceiling Height</b>	2.7 m
<b>Occupancy</b>	1 staff
<b>Hours of Operation</b>	8am to 6pm, daily (may vary depending on service requirements)

**Description** | The Distribution Workstation provides workspace to sort and process dispensed medications to be distributed from the Pharmacy to clinical units (e.g. imprest medications) and may be used to prepare specialised packs (e.g. resuscitation trolley supplies).

**Electrical**

PROTECTION: body protected	<input type="checkbox"/>
PROTECTION: cardiac protected	<input type="checkbox"/>

**HVAC**

AIRCONDITIONING: general	<input checked="" type="checkbox"/>
AIRCONDITIONING: HEPA filtered	<input type="checkbox"/>
AIRCONDITIONING: positive pressure	<input type="checkbox"/>
AIRCONDITIONING: negative pressure	<input type="checkbox"/>
VENTILATION: exhaust	<input type="checkbox"/>
VENTILATION: natural	<input type="checkbox"/>

**Lighting**

LIGHTING: general	<input checked="" type="checkbox"/>
LIGHTING: colour corrected	<input type="checkbox"/>
LIGHTING: dimmable	<input type="checkbox"/>
LIGHTING: indirect	<input type="checkbox"/>

**Nurse Call and Duress**

NURSE CALL SYSTEM: buttons / handset	<input type="checkbox"/>
--------------------------------------	--------------------------

**Additional Considerations**

- Ready access to bulk store and refrigerated storage is required from this area.
- Direct access to a dispatch/collection area is required for holding items prior to delivery.
- Printer and telephone facilities to be shared between multiple workstations. A Multifunction device is to be in close proximity to the distribution area.
- Ensure adequate lighting over workspace.

### Finishes

CODE	DESCRIPTION	COMMENT
FLVY-101	FLOOR FINISH: vinyl, seamless, standard slip resistance	[FLVY-007]
FLSK-021	SKIRTING: vinyl, integral with floor vinyl, coved	[FLSK-010]
WLFI-001	WALL FINISH: paint	[WLWA-004]
CLTI-022.02	CEILING: drop-in tiles, acoustic, prefinished, 600 x 1200	[CLTI-002]
CLCN-041	CORNICE: wall trim fixing, prefinished	[CLCN-009]

### Joinery

CODE	DESCRIPTION	GROUP	QTY	COMMENT
JOBE-061	BENCH: 750D, laminate	1	1	[FIJO-069]
JODW-032	DRAWER UNIT: under bench, 3 drawers, equal, wire baskets	1	1	[FIJO-108]



## Fittings, Furniture and Equipment (FF&E)

CODE	DESCRIPTION	GROUP	QTY	COMMENT
FIBM-019	WHITEBOARD: fixed, magnetic	2	1	[FIBM-019] optional
FQBS-171	CHAIR: office, ergonomic	3	1	[FQBS-018]
FQDW-134.05	WORKSTATION: straight, adjustable height, 720H nom, 750D x 1800W	3	1	[FQDW-002]
ITNE-101	COMPUTER: single display screen, central processing unit (CPU), keyboard and mouse, desktop	3	1	[ITNE-007] may be on wall or desk mounted bracket, an additional screen may be provided depending on project ICT requirements
ITNE-221	INPUT DEVICE: bar code scanner	3	1	[ITNE-003]
ITNE-231	INPUT DEVICE: portable data entry, with charging dock	3	1	[ITNE-072] may be shared between multiple workstations



## Engineering Services

CODE	DESCRIPTION	GROUP	QTY	COMMENT
ELGP-231	GPO: double, emergency power, wall mounted	1	2	[ELGP-223] extent of emergency power to be determined based on service requirements
ITIN-026	OUTLET: data, double RJ45, wall mounted	1	1	[ITIN-026]

For guidance on how to use the Room Data Sheet, please visit the [AushFG website](#).