



## Play Area - Paediatric

<b>Room Code</b>	PLAY
<b>Briefed Area</b>	10.00 m <sup>2</sup>
<b>Ceiling Height</b>	2.7 m
<b>Occupancy</b>	up to 4 children intermittently
<b>Hours of Operation</b>	Up to 24 hours (dependent on unit operating hours)

**Description** | The Play Area - Paediatric is typically associated with a waiting area and provides the space and amenities for children to play while waiting with their parents / carers prior to attending an appointment and/or receiving clinical care in a department.

**Electrical** | PROTECTION: body protected   
PROTECTION: cardiac protected

**HVAC** | AIRCONDITIONING: general   
AIRCONDITIONING: HEPA filtered   
AIRCONDITIONING: positive pressure   
AIRCONDITIONING: negative pressure   
VENTILATION: exhaust   
VENTILATION: natural

**Lighting** | LIGHTING: general   
LIGHTING: colour corrected   
LIGHTING: dimmable   
LIGHTING: indirect

**Nurse Call and Duress** | NURSE CALL SYSTEM: buttons / handset

### Additional Considerations

- The Play Area should allow access for prams and be located in close proximity to public amenities, including baby change facilities.
- Provision of age appropriate furnishing, artwork and play equipment (if provided) to be based on service and population. Furniture that is easily wiped clean is recommended.
- Furniture suitable for adults is typically provided within the space to support supervision of children but may be provided in the adjacent waiting area if layout allows for adequate visibility.
- The Play Area should be designed to minimise noise transfer to other areas.
- Provision of interactive board/projector technologies and associated services may be considered depending on operational policies and ICT support.



## Doors and Windows

CODE	DESCRIPTION	COMMENT
WIFX-158.01	WINDOW: fixed, external, double glazed, sill at 1050H	[DWWH-005] access to natural light and external outlook is desirable
AHWCV-001	WINDOW COVERING: blind, roller, single	[DWWD-004]



## Finishes

CODE	DESCRIPTION	COMMENT
FLVY-101	FLOOR FINISH: vinyl, seamless, standard slip resistance	[FLVY-007]
FLSK-021	SKIRTING: vinyl, integral with floor vinyl, coved	[FLSK-010]
WLFI-001	WALL FINISH: paint	[WLWA-004]
CLTI-022.02	CEILING: drop-in tiles, acoustic, prefinished, 600 x 1200	[CLTI-002]

CODE	DESCRIPTION	COMMENT
CLCN-041	CORNICE: wall trim fixing, prefinished	[CLCN-009]



## Fittings, Furniture and Equipment (FF&E)

CODE	DESCRIPTION	GROUP	QTY	COMMENT
FIDI-241	DISPENSER: alcohol-based hand rub, wall mounted	2	1	[FIDI-001] quantity and location to suit local IPC policies
FQBS-116	CHAIR: visitor, waiting areas	3	2	[FQBS-032]
FQBS-161	CHAIR: play areas, child	3	2	[FQBS-012]
FQGE-002	ARTWORK: wall mounted	3	1	[FQGE-002]
FQTA-096	TABLE: play areas, child	3	1	[FQTA-003]
FQTA-202	TABLE: square, 450H, 600L	3	1	[FQTA-075]



## Engineering Services

CODE	DESCRIPTION	GROUP	QTY	COMMENT
ELGP-201	GPO: double, wall mounted	1	1	[ELGP-208]

For guidance on how to use the Room Data Sheet, please visit the [AushFG website](#).