

**Room Name**
**Store - Disaster Equipment**
**Room Number: STDE**
**Last modified**

01/03/2016

**Briefed Area**

8.00

**Remarks**
**Occupancy**

1 - 2 intermittently

**Hours of Operation**
☒ Available 24 Hours

**Acoustics**
**Description or Special Requirements**

The Disaster Equipment Store provides for the storage of equipment used in retrieval of patients, and for equipment used in Chemical, Biological and Radiological (CBR) incidents. The size of the room will be dependant on the role delineation and service level of the facility.

## Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	
3000	Wall finish	Paint	Acrylic, washable		
3052	Wall finish	Vinyl	Prefinished	Wall vinyl to 1500 AFFL	wall protection
5030	Ceiling - Plasterboard	Plasterboard	Prefinished	Drop-in tiles, 600x1200	
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL	Equal to Acrovyn
8040	Door protection	Composite	Prefinished PVC	To door frame	Equal to Acrovyn
9001	Door - 1100mm	Solid Core	Paint	Single leaf	1100mm clear opening, lockable
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

## Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-13650	Metal shelving - 1200x600x2100	3	2	heavy duty
FF-13665	Metal shelving - 900x600x2100	3	2	heavy duty

## Fixtures, Equipment and associated Services

### Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

### Services

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double	1	2	
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	
S-6200	Light switches	1	1	