



## Store - Files, 10m<sup>2</sup>

<b>Room Code</b>	STFS-10
<b>Briefed Area</b>	10.00 m <sup>2</sup>
<b>Ceiling Height</b>	2.7 m
<b>Occupancy</b>	1-2 staff intermittently
<b>Hours of Operation</b>	8am to 6pm, Mon - Fri (dependent on unit operating hours)

**Description** | The Store - Files, 10m<sup>2</sup> provides the space and amenities for the secure storage of files or patient clinical records.

<b>Electrical</b>	PROTECTION: body protected	<input type="checkbox"/>	<b>HVAC</b>	AIRCONDITIONING: general	<input checked="" type="checkbox"/>
	PROTECTION: cardiac protected	<input type="checkbox"/>		AIRCONDITIONING: HEPA filtered	<input type="checkbox"/>
<b>Lighting</b>	LIGHTING: general	<input checked="" type="checkbox"/>	AIRCONDITIONING: positive pressure	<input type="checkbox"/>	
	LIGHTING: colour corrected	<input type="checkbox"/>	AIRCONDITIONING: negative pressure	<input type="checkbox"/>	
	LIGHTING: dimmable	<input type="checkbox"/>	VENTILATION: exhaust	<input type="checkbox"/>	
	LIGHTING: indirect	<input type="checkbox"/>	VENTILATION: natural	<input type="checkbox"/>	
<b>Nurse Call and Duress</b>	NURSE CALL SYSTEM: buttons / handset	<input type="checkbox"/>			

**Additional Considerations**

- Type, size and quantity of shelving / storage solution to be selected to suit service requirements and work health and safety (WHS) policies.
- Fire rating to room to be in accordance with Australian / New Zealand building codes, and comply with jurisdictional legislation regarding record-keeping (including any referenced Australian / New Zealand Standards).



## Doors and Windows

CODE	DESCRIPTION	COMMENT
DOHI-003.01	DOOR: hinged, 1 leaf, 900 clear opening, solid	[DWSC-003] lockable
AFDPR-006.01	DOOR PROTECTION: plate, to 900H	[DWPR-006] to both sides
ITSE-261	READER: security, access control, proximity card, wall mounted	[ITSE-038]



## Finishes

CODE	DESCRIPTION	COMMENT
FLVY-101	FLOOR FINISH: vinyl, seamless, standard slip resistance	[FLVY-007]
FLSK-021	SKIRTING: vinyl, integral with floor vinyl, coved	[FLSK-010]
WLFI-001	WALL FINISH: paint	[WLWA-004]
CLTI-021.02	CEILING: drop-in tiles, prefinished, 600 x 1200	[CLTI-008]
CLCN-041	CORNICE: wall trim fixing, prefinished	[CLCN-009]



## Fittings, Furniture and Equipment (FF&E)

CODE	DESCRIPTION	GROUP	QTY	COMMENT
FIBM-019	WHITEBOARD: fixed, magnetic	②	1	[FIBM-019] optional
FQGE-162	STOOL: step, safety	③	1	[FQGE-095]
FQSN-204	SHELVING UNIT: floor standing, adjustable shelves, 400D x 900W x 2100H nominal	③	9	[FQSN-085] type, size and quantity of shelving / storage solution to be confirmed to suit service requirements



## Engineering Services

CODE	DESCRIPTION	GROUP	QTY	COMMENT
ELGP-201	GPO: double, wall mounted	①	1	[ELGP-208]
ELSW-001	SWITCH: light	①	1	[ELBO-015] motion sensor light activation is also acceptable

For guidance on how to use the Room Data Sheet, please visit the [AusHFG website](#).