




The use of nitrous oxide in operating theatres, procedural suites and emergency departments is declining due to a range of clinical and environmental concerns. It is, however, still commonly used in maternity and paediatric services. With the exception of maternity and paediatric services, reticulated nitrous oxide and associated scavenge outlets are to be considered optional. Where found to be clinically necessary, provision of nitrous oxide via piped outlets or via cylinder is to be determined at a project level, based on an assessment of expected clinical needs, security of gas sources, operational considerations such as monitoring and measurement of usage, and management of leakage.

AUSTRALASIAN HFG STANDARD COMPONENTS

Room Layout Sheet

RLS Room Code: ENPR

Room Name: PROCEDURE ROOM - ENDOSCOPY



CODE	DESCRIPTION
DWPR-011	DOOR PROTECTION: protection plate, to full height
DWWH-007	SHUTTER: for observation panel, magnetic flap for laser protection
ELBO-003	CONTROL PANEL: lighting
ELBO-009	SWITCH: "Laser in use"
ELBO-016	SWITCH: "X-Ray in use"
ELGP-110	GPO: single, wall mounted, cleaner
ELGP-122.1	GPO: emergency power, single, on services panel (V)
ELGP-123.1	GPO: emergency power, single, wall mounted (V)
ELGP-223	GPO: emergency power, double, wall mounted
ELPR-004	MONITOR: line isolation
ELPR-006	RCD: residual current device
FIBM-019	WHITEBOARD: fixed, magnetic
FIDI-001	DISPENSER: alcohol based hand rub
FIDI-014	DISPENSER: disposable glove
FIDI-017	DISPENSER: goggles
FIDI-025	DISPENSER: paper/hand towel
FIDI-030	DISPENSER: soap
FIDI-031	DISPENSER: soap antiseptic
FIHR-006	BRACKET: for display screen, wall mounted
FIHR-064	BRACKET: for display screen, arm mounted, rotating
FIHR-066	BRACKET: for display screen, wall mounted, articulated, adj height

CODE	DESCRIPTION
FJJO-013	BENCH: 450D, open under, stainless steel
FJJO-100	BENCH LEGS: stainless steel, for bench top
FJJO-212	BULKHEAD: Joinery
FJJO-214	CUPBOARD: tall, double door, glazed, adj shelves, lockable
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished
FLVY-004	FLOOR FINISH: vinyl, seamless, coved, non-slip, safety
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant
FQCW-016	BIN: waste, general, 20L
FQSM-039	TROLLEY: waste bag
HYBA-009	BASIN: handwash, Type A, scrub
HYTP-042	TAPWARE: sensor
ITAV-057	SPEAKER: ceiling recessed
ITAV-060	CONTROL PANEL: AV integration system, wall mount
ITCL-004	BUTTON: nurse call, emergency
ITCL-008	BUTTON: nurse call, staff assist
ITCL-012	CAMERA: observation
ITCL-020	CLOCK: clock system slave, dual digital / elapsed time
ITCL-023	CONTROL PANEL: master clock system
ITIN-026	OUTLET: data, double RJ45, wall mounted
ITIN-120	PATCH PANEL: data integration
ITIN-140	DATA PANEL: data / AV outlets, ceiling mounted

CODE	DESCRIPTION
ITNE-008	COMPUTER: for workstation on wheels
ITNE-050	TELEPHONE: handset, desktop, handsfree
ITNE-052	TELEPHONE: handset, wall mount
ITNE-066	COMPUTER: all-in-one, wall mounted
ITNE-067	KEYBOARD: keyboard and mouse only
ITSE-025	DOOR RELEASE: access control, remote activation
LIFX-002	LIGHT: illuminated sign, "X-Ray in Use"
LIPO-006	LIGHT: examination, mobile
MEEX-008	EXHAUST: low level
MGFP-001	ALARM PANEL: medical gases
MMBE-044	TROLLEY: patient, transport
MMGE-014	CHAIR: anaesthetist
MMGE-045	IV STAND: mobile
MMGE-048	LINEN CARRIER: dirty, single
MMGE-078	PUMP: infusion
MMGE-088	SAFE: dangerous drugs, small
MMGE-122	TROLLEY: gowns
MMGE-123	TROLLEY: instrument
MMGE-142	TROLLEY: sharps bin
MMGE-164	WORKSTATION ON WHEELS: clinical notes
MMGE-167	CHAIR: surgeon

CODE	DESCRIPTION
MMGE-168	STAND: infusion pump, mobile
MMOP-028	KICKBUCKET & STAND:
MMOP-040	MACHINE: anaesthetic
MMOP-043	MACHINE: electrosurgical, diathermy
MMOP-069	STAND: bowl, single
MMOP-076	TABLE: mayo
MMOP-085	TROLLEY: anaesthetic
MMOP-087	TROLLEY: endoscope
MMOP-088	TROLLEY: endoscopic, equipment
MMOP-096	DISPLAY SCREEN: AV integration
MMSP-026	SERVICES PANEL: wall mounted
MMSP-034	PENDANT: single, dual arm, surgical & anaesthetic combined (fixed or adjustable height)
MMSP-035	PENDANT: single, dual arm, display screen
WLWA-019	WALL FINISH: vinyl, full height

NOT TO SCALE
REFER TO RDS FOR PENDANT MOUNTED SERVICES AS THESE ITEMS ARE NOT INCLUDED IN THIS SCHEDULE



REV	DESCRIPTION	DATE
1	FIRST ISSUE	02.07.2018

FOR GUIDANCE

SCALE	RLS Room Code	REV
1 : 50 @ A3	ENPR	1


AUSTRALASIAN HFG STANDARD COMPONENTS

Room Layout Sheet


RLS Room Code: ENPR

Room Name:


PROCEDURE ROOM - ENDOSCOPY




ELEVATION 1




ELEVATION 2



ELEVATION 3



ELEVATION 4



CONSIDER INCLUSION OF WALL GASSES
IF REQUIRED FOR PENDANT BACK-UP

ELEVATION 5 (1 : 20 @ A3)

CODE	DESCRIPTION
DWPR-011	DOOR PROTECTION: protection plate, to full height
DWWH-007	SHUTTER: for observation panel, magnetic flap for laser protection
ELBO-003	CONTROL PANEL: lighting
ELBO-009	SWITCH: "Laser in use"
ELBO-016	SWITCH: "X-Ray in use"
ELGP-110	GPO: single, wall mounted, cleaner
ELGP-122.1	GPO: emergency power, single, on services panel (V)
ELGP-123.1	GPO: emergency power, single, wall mounted (V)
ELGP-223	GPO: emergency power, double, wall mounted
ELPR-004	MONITOR: line isolation
ELPR-006	RCD: residual current device
FIBM-019	WHITEBOARD: fixed, magnetic
FIDI-001	DISPENSER: alcohol based hand rub
FIDI-014	DISPENSER: disposable glove
FIDI-017	DISPENSER: goggles
FIDI-025	DISPENSER: paper/hand towel
FIDI-030	DISPENSER: soap
FIDI-031	DISPENSER: soap antiseptic
FIHR-006	BRACKET: for display screen, wall mounted
FIHR-064	BRACKET: for display screen, arm mounted, rotating
FIHR-066	BRACKET: for display screen, wall mounted, articulated, adj height

CODE	DESCRIPTION
FUJO-013	BENCH: 450D, open under, stainless steel
FUJO-100	BENCH LEGS: stainless steel, for bench top
FUJO-212	BULKHEAD: Joinery
FUJO-214	CUPBOARD: tall, double door, glazed, adj shelves, lockable
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished
FLVY-004	FLOOR FINISH: vinyl, seamless, coved, non-slip, safety
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant
FQCW-016	BIN: waste, general, 20L
FQSM-039	TROLLEY: waste bag
HYBA-009	BASIN: handwash, Type A, scrub
HYTP-042	TAPWARE: sensor
ITAV-057	SPEAKER: ceiling recessed
ITAV-060	CONTROL PANEL: AV integration system, wall mount
ITCL-004	BUTTON: nurse call, emergency
ITCL-008	BUTTON: nurse call, staff assist
ITCL-012	CAMERA: observation
ITCL-020	CLOCK: clock system slave, dual digital / elapsed time
ITCL-023	CONTROL PANEL: master clock system
ITIN-026	OUTLET: data, double RJ45, wall mounted
ITIN-120	PATCH PANEL: data integration
ITIN-140	DATA PANEL: data / AV outlets, ceiling mounted

CODE	DESCRIPTION
ITNE-008	COMPUTER: for workstation on wheels
ITNE-050	TELEPHONE: handset, desktop, handsfree
ITNE-052	TELEPHONE: handset, wall mount
ITNE-066	COMPUTER: all-in-one, wall mounted
ITNE-067	KEYBOARD: keyboard and mouse only
ITSE-025	DOOR RELEASE: access control, remote activation
LIFX-002	LIGHT: illuminated sign, "X-Ray in Use"
LIPO-006	LIGHT: examination, mobile
MEEEX-008	EXHAUST: low level
MGFP-001	ALARM PANEL: medical gases
MMBE-044	TROLLEY: patient, transport
MMGE-014	CHAIR: anaesthetist
MMGE-045	IV STAND: mobile
MMGE-048	LINEN CARRIER: dirty, single
MMGE-078	PUMP: infusion
MMGE-088	SAFE: dangerous drugs, small
MMGE-122	TROLLEY: gowns
MMGE-123	TROLLEY: instrument
MMGE-142	TROLLEY: sharps bin
MMGE-164	WORKSTATION ON WHEELS: clinical mobile
MMGE-167	CHAIR: surgeon

NOTE: REFER TO RDS FOR PENDANT MOUNTED SERVICES AS
THESE ITEMS ARE NOT INCLUDED IN THIS SCHEDULE

CODE	DESCRIPTION
MMGE-168	STAND: infusion pump, mobile
MMOP-028	KICKBUCKET & STAND:
MMOP-040	MACHINE: anaesthetic
MMOP-043	MACHINE: electrosurgical, diathermy
MMOP-069	STAND: bowl, single
MMOP-076	TABLE: mayo
MMOP-085	TROLLEY: anaesthetic
MMOP-087	TROLLEY: endoscope
MMOP-088	TROLLEY: endoscopic, equipment
MMOP-096	DISPLAY SCREEN: AV integration
MMSP-026	SERVICES PANEL: wall mounted
MMSP-034	PENDANT: single, dual arm, surgical & anaesthetic combined (fixed or adjustable height)
MMSP-035	PENDANT: single, dual arm, display screen
WLWA-019	WALL FINISH: vinyl, full height