# Ensuite - Bariatric

CARDIAC PROTECTION | **BODY PROTECTION** | HEARING LOOP | RADIATION SHIELDING | MAGNETIC / RF SHIELDING | HEPA FILTRATION | POSITIVE PRESSURE | NEGATIVE PRESSURE

| CODE | DESCRIPTION |
|---|---|
| ELGP-201.01 | GPO: double, wall mounted, horizontal |
| ELSW-001 | SWITCH: light |
| FIBM-102 | MIRROR: fixed, safety glass, frameless |
| FIDI-231 | DISPENSER: paper towel, wall mounted |
| FIDI-256 | DISPENSER: soap, wall mounted |
| FIDI-282 | HOLDER: soap/shampoo, wall recessed |
| FIDI-308 | DISPENSER: toilet paper, to drop-down grab rail |
| FIHR-026 | HOOK: coat, wall mounted |
| FIRT-101 | GRAB RAIL: straight, horizontal |
| FIRT-142 | GRAB RAIL: toilet, drop down with folding leg, with holder for toilet roll |
| FIRT-143 | GRAB RAIL: toilet, drop down with folding leg, with bracket for nurse call button |
| FIRT-151 | GRAB RAIL: shower, straight, horizontal |
| FLSK-021 | SKIRTING: vinyl, integral with floor vinyl, coved |
| FLVY-114 | FLOOR FINISH: vinyl, seamless, non-slip, wet area, barefoot |
| FQWS-051 | BIN: general waste, 20L |
| FQWS-331 | BIN: sanitary waste |
| HYBA-142 | BASIN: type C, handwashing, with integral single shelf |
| HYDR-021 | DRAIN: floor waste, round |
| HYSH-056 | SHOWER: hand-held, connection on wall, bracket on vertical wall mounted rail |
| HYTP-002 | FLUSH BUTTON: toilet suite |
| HYTP-051 | TAPWARE: basin, mixer, fixture mounted |
| HYTP-251 | TAPWARE: shower, mixer |
| HYWC-034 | TOILET SUITE: patient, bariatric |
| ITCL-122 | BUTTON: nurse call, patient to staff call, with cancel, wall mounted, wet area |
| ITCL-130 | BUTTON: nurse call, patient to staff call, with cancel, to drop-down grab rail, wet area |
| ITCL-182 | BUTTON: nurse call, staff assist, with cancel, wall mounted, wet area |
| ITCL-192 | BUTTON: nurse call, emergency, with cancel, wall mounted, wet area |
| MGAS-043 | OUTLET: oxygen (O2), wall mounted |
| MGFP-041 | FLOWMETER: oxygen |
| MMBE-222 | LIFTER: patient, traverse H-track, ceiling mounted, bariatric |
| MMGE-016 | CHAIR: commode, bariatric |
| WLFI-011.07 | WALL FINISH: vinyl, full height |




PLAN




ELEVATION 1

RETICULATED MEDICAL GAS OUTLETS MAY BE CONSIDERED IN ENSUITES ON SELECTED SPECIALISED UNITS TO SUIT PATIENT COHORT REQUIREMENTS IN LINE WITH LOCAL JURISDICTIONAL POLICIES. REFER TO HPU 340 ADULT ACUTE INPATIENT UNIT FOR MORE INFORMATION. WHERE PROVIDED, LOCATION OF OUTLETS IS TO BE CONFIRMED AT PROJECT LEVEL TO SUIT CLINICAL SERVICE REQUIREMENTS. CONSIDERATION MUST BE GIVEN TO MITIGATING CONTAMINATION RISK OF MEDICAL GAS OUTLETS FROM TOILET PLUME.

DROP DOWN GRAB RAILS PROVIDED FOR PATIENT SUPPORT WITH SPACE FOR STAFF ASSISTANCE TO BOTH SIDES OF TOILET. ENSURE ADEQUATE IN-WALL SUPPORTS ARE PROVIDED




ELEVATION 2



3D VIEW




ELEVATION 3




ELEVATION 4

Copyright © 2026 Australasian Health Infrastructure Alliance (AHIA)

**Scale**

Plan + Elevations 1:50 @ A3 (0 0.5 1 1.5 2 2.5)

Details 1:25 @ A3 (0 0.25 0.5 0.75 1 1.25)

FOR GUIDANCE

| Revision | Description | Date |
|---|---|---|
| 4 | Redocumented in new RLS format with panorama | 18.11.2026 |
| 3 | Updated following AHIA review | 15.12.2025 |
| 2 | Item coding and naming updated | 20.03.2017 |
| 1 | Historic Revision Placeholder | Date 1 |

**Room Code** ENS-BAR

**Revision** 4

Vizylab