


AUSTRALASIAN HFG STANDARD COMPONENTS

Room Layout Sheet



RLS Room Code: ENS-NE

Room Name: ENSUITE - NESTED




CODE	DESCRIPTION
ELBO-015	SWITCH: light, single
ELGP-201.01	GPO: double, wall mounted, horizontal
ELPR-001	BODY PROTECTED ELECTRICAL AREA
FIBM-102	MIRROR: fixed, safety glass, frameless
FIDI-231	DISPENSER: paper towel, wall mounted
FIDI-256	DISPENSER: soap, wall mounted
FIDI-281	HOLDER: soap/shampoo, wall mounted
FIDI-301	DISPENSER: toilet paper, wall mounted
FIHR-026	HOOK: coat
FIRT-061.02	TRACK: curtain, shower, L-shaped
FIRT-101	GRAB RAIL: straight, horizontal
FIRT-125	GRAB RAIL: toilet, 90 degree
FIRT-136	GRAB RAIL: toilet, drop down
FIRT-151	GRAB RAIL: shower, straight, horizontal
FLSK-021	SKIRTING: vinyl, integral with floor vinyl, coved
FLVY-114	FLOOR FINISH: vinyl, seamless, non-slip, wet area, barefoot
FOGE-102	CURTAIN: shower
QOWS-051	BIN: general waste, 20L
QOWS-331	BIN: sanitary waste
HYBA-142	BASIN: type C, handwashing, with integral single shelf
HYDR-021	DRAIN: floor waste, round
HYSH-056	SHOWER: hand-held, connection on wall, bracket on vertical wall mounted rail
HYTP-051	TAPWARE: basin, mixer, fixture mounted
HYTP-251	TAPWARE: shower, mixer
HYWC-031	TOILET SUITE: patient
ITCL-122	BUTTON: patient to staff call, with cancel, wall mounted, wet area
ITCL-182	BUTTON: nurse call, staff assist, with cancel, wall mounted, wet area
ITCL-192	BUTTON: nurse call, emergency, with cancel, wall mounted, wet area
MGAS-043	OUTLET: oxygen (O2), wall mounted
MGFP-041	FLOWMETER: oxygen
MMGE-024	CHAIR: shower
WLFI-011.07	WALL FINISH: vinyl, full height


LOOK WITH OCCUPANCY INDICATOR AND EMERGENCY RELEASE HARDWARE REQUIRED. OUTWARD SWING RECOMMENDED. EMERGENCY RELEASE AND HINGE TO ALLOW FOR OUTWARD OPENING IF AN INWARD SWING IS PROVIDED.




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4