






CODE	DESCRIPTION
AFDPR-006.01	DOOR PROTECTION: plate, to 900H
DOHI-003.01	DOOR: hinged, 1 leaf, 900 clear opening, solid
ELGP-201.01	GPO: double, wall mounted, horizontal
ELSW-001	SWITCH: light
FLSK-021	SKIRTING: vinyl, integral with floor vinyl, coved
FLVY-101	FLOOR FINISH: vinyl, seamless, standard slip resistance
FQSN-214	SHELVING UNIT: floor standing, adjustable shelves, 600D x 900W x 2100H nominal
FQSN-215	SHELVING UNIT: floor standing, adjustable shelves, 600D x 1200W x 2100H nominal
ITSE-261	READER: security, access control, proximity card, wall mounted
WLFI-002	WALL FINISH: paint, clinical areas




PLAN



3D VIEW




ELEVATION 1




ELEVATION 2

THE TYPE, EXTENT AND CONFIGURATION OF STORAGE SOLUTIONS WITHIN THE ROOM WILL BE DEPENDENT ON SERVICE REQUIREMENTS AND OPERATIONAL POLICIES FOR PROPERTY STORAGE, SEPARATION AND VOLUME OF PROPERTY TO BE STORED PER PERSON. MAXIMUM AND MINIMUM SHELF HEIGHTS, CONSIDERATIONS FOR THE STORAGE AND RESTRAINT OF ITEMS ABOVE CERTAIN HEIGHTS AND THE MAXIMUM WEIGHTS OF ITEMS TO BE STORED ABOVE CERTAIN HEIGHTS MUST BE CONFIRMED AT PROJECT LEVEL TO SUPPORT SELECTION OF APPROPRIATE STORAGE SOLUTION ITEMS AND TO ENSURE ALIGNMENT WITH WHS POLICIES AND APPLICABLE SEISMIC SAFETY GUIDANCE/LEGISLATION. REQUIREMENTS TO FIX ANY FREESTANDING STORAGE SOLUTION ITEMS TO THE BUILDING FABRIC (ie. WALLS OR FLOOR) MAY BE APPLICABLE DEPENDING ON BUILDING CODE AND SEISMIC GUIDANCE/LEGISLATION.



ELEVATION 3



ELEVATION 4

Revision	Description	Date
7	Redocumented in new RLS format	31.03.2026
6	Updated following AHIA review	20.08.2025
5	Item coding and naming updated	20.03.2017
4	Redocumented, does not represent significant revision	01.03.2016

Room Code
STPP
Revision
7

