Department	Standard Components	**Room Tag:**	**3830**
Room Name	**Security Room, 10m2**	**Room Code:**	**SECR-10**

Area	10.0 M2
No of Rooms	1
Subtotal of Area	10.0 M2
Hours of Operation	24 Hours
Occupancy	Up to 2 staff
Also covers these Rooms	
Description/ Special Requirements	A lockable room for security personnel to monitor surveillance equipment. Staff identity photographs may also be taken in this area. The Security Room should be located close to the Main Entrance / Emergency Unit after hours entry. The Security Room configuration may alter to suit different monitoring arrangements. Acoustics: Sound attenuation level - medium; Acoustic privacy required
Amendment	08.04.05, - First Draft

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9004	Doors	Solid Core/ Glass	Paint	Single leaf, observation panel		910mm clear opening, lockable
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		
7031	Observation	Alum/ Safety glass	Powdercoat/ paint	Internal window		one way glass; with communication/document slots
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
7001	Windows					Desirable, for surveillance of external areas

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection
1050	Bench: laminate	Furniture/ Fitting	1	1	
1250	Blind: Venetian	Metalwork	3	1	to external window, if provided
2100	Chair: ergonomic, office	Furniture/ Fitting	3	1	
2600	Chair: visitor, office	Furniture/ Fitting	3	1	
3400	Coathook	Metalwork	1	2	
4230	Counter top	Furniture/ Fitting	1	1	to communication window
4360	Cupboard: door ht adj. shelves	Furniture/ Fitting	1	1	lockable
17360	Pinboard: fabric covered	Furniture/ Fitting	1	1	above bench

Australasian HFG

Provided by CHAA for :
Australasian HFG

Issue No: 1
Issue Date: 8 Jun 2007

Print Date: 8 Jun 2007
Page 1 of 2

This document is for advisory purpose only

Department	Standard Components	Room Tag:	3830
Room Name	Security Room, 10m2	Room Code:	SECR-10

ID	Description	Category	Group	Qty	Selection
18160	Projection screen: ceiling mount	Furniture/ Fitting	1	1	900mmW, for photo backdrop, as required
20012	Shelving unit: fixed shelves	Furniture/ Fitting	1	1	monitor chambers, optional
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	under bench

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection
7500	Camera: ID photo	3	1	yes	___	___	___	___	___	___	___	optional, on tripod stand
11400	Computer: PC & monitor	3	1	yes	yes	___	___	___	___	___	___	flat screen
35860	Monitor: CCTV	3	9	yes	yes	___	___	___	___	___	___	flat screen; quantity as required
41100	Printer: networked	3	1	yes	yes	___	___	___	___	___	___	
54510	Telephone: handset, standard	3	1	___	yes	___	___	___	___	___	___	

Services

ID	Description	Service Category	Qty	Remarks
1090	TV: MATV	Communications	1	
1006	Voice / Data outlet: double	Communications	2	1 outlet on each panel for telephone
1005	Voice / Data outlet: single	Communications	9	to CCTV monitor chambers, if provided
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	3	
9000	GPO: Single	Power	9	to CCTV monitor chambers, if provided

Australasian HFG

Provided by CHAA for :
Australasian HFG

Issue No: 1

Issue Date: 8 Jun 2007

Print Date: 8 Jun 2007

Page 2 of 2

This document is for advisory purpose only