Department Standard Components Room Tag: 4045

Room Name Staff Room, 35m2 Room Code: SRM-35

Net Room Area Briefed 35.0 M2

No of Rooms

Subtotal of Briefed Area 35.00 M2

Hours of Operation 24 Hours

Occupancy Up to 25

Also covers these Rooms

Description/ Special Requirements The Staff Room is a shared facility for staff to use for respite, rest and relaxation during meal breaks, especially where it is difficult for staff to use common facilities particularly at night. The room may also be used for small meetings or tutorials and for the storage of staff resources or library materials. Facilities for food and beverage preparation and storage should be provided. Where possible the Staff Room should be shared between two Inpatient Units or one per floor in a larger facility. An external outlook is desirable.

Acoustics: Sound attenuation level - high; Acoustic privacy is required.

Amendment

10.03.09, - 2009 AUSHFG Review; New Room

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9004	Doors	Solid Core/ Glass	Paint	Single leaf, observation panel		910mm clear opening, lockable
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		Default = carpet; vinyl also acceptable
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		to dining area
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH		Default = featheredge vinyl; floor vinyl coved skirting
3000	Wall finish	Paint	Acrylic, washable			
3060	Wall finish	Vinyl	Prefinished	Splashback		to sink bench; Default = vinyl; tiles also acceptable
7001	Windows					desirable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	with inset sink/ drainer
1250	Blind: Venetian	Metalwork	3	1	to windows, curtains also acceptable
23410	Bracket: television, wall mount	Metalwork	1	1	optional
1700	Chair: dining	Furniture/ Fitting	3	16	
1800	Chair: easy	Furniture/ Fitting	3	3	
4430	Cupboard: drawer unit	Furniture/ Fitting	1	1	under bench
4410	Cupboard: under bench	Furniture/ Fitting	1	1	adjustable shelves

Australasian FG

Provided by HPI for AHIA & UNSW for: Issue No: 3

Australasian HFG

Issue Date: 30

Department Room Name

Standard Components Staff Room, 35m2 Room Tag: 4045
Room Code: SRM-35

ID	Description	Category	Group	Qty	Selection / Remarks
4460	Cupboard: wall mounted	Furniture/ Fitting	1	1	over bench, adjustable shelves
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to sink
6156	Dispenser: soap	Furniture/ Fitting	2	1	to sink
12750	Lounge: 2 seat Furniture/ Fittin		3	5	
17360	Pinboard: fabric covered	Furniture/ Fitting	1	1	900x900
16455	Rack: magazine	Furniture/ Fitting	3	1	optional
19990	Shelving unit: microwave	Furniture/ Fitting	1	1	over bench
23000	Table: dining	Furniture/ Fitting	3	4	
22800	Table: low	Furniture/ Fitting	3	3	
24102	Waste bin: general	Furniture/ Fitting	3	1	under bench
24400	Whiteboard	Furniture/ Fitting	2	1	900x900, optional

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Тар	Dns	Gas	Selection / Remarks
5000	Boiling water unit: 5 Litre	1	1	yes		yes			yes	yes		
44100	Refrigerator: 250 Litre, domestic	3	1	yes								or underbench
47890	Sink & drainer: single, 930mmL	1	1			yes	opt	opt	yes	yes		hot water
54510	Telephone: handset, standard	3	1		yes							wall telephone
54580	Television: 54 cm	3	1	yes								optional

Services

ID	Description	Service Category		Selection / Remarks
1000	Telephone: PABX	Communications		wall telephone
1090	TV: MATV	Communications 1		
1006	Voice / Data outlet: double	Communications		
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
8040	Annunciator	Nurse Call		to be audible in this room
9001	GPO: Double	Power	4	1 over bench
9000	GPO: Single	Power	3	fridge, BWU, microwave
9060	GPO: Special: for equipment	Power	1	TV, optional