

Department	Standard Components	Room Tag: 4180
Room Name	Store - Disaster Equipment	Room Code: STDE
Net Room Area Briefed	8.0 M2	
No of Rooms	1	
Subtotal of Briefed Area	8.00 M2	
Hours of Operation	Available 24 Hours	
Occupancy	1 - 2 intermittently	
Also covers these Rooms		
Description/ Special Requirements	The Disaster Equipment Store provides for the storage of equipment used in retrieval of patients, and for equipment used in Chemical, Biological and Radiological (CBR) incidents. The size of the room will be dependant on the role delineation and service level of the facility.	
Amendment	14.02.05, - First Draft 01.03.05, - BOB User review, GPOs & shelving modified 10.03.09, - 2009 AUSHFG Review; Description modified	

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5030	Ceiling	Plasterboard	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL		Equal to Acrovyn
8040	Door protection	Composite	Prefinished PVC	To door frame		Equal to Acrovyn
9001	Doors	Solid Core	Paint	Single leaf		1100mm clear opening, lockable
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		
3000	Wall finish	Paint	Acrylic, washable			
3052	Wall finish	Vinyl	Prefinished	Wall vinyl to 1500 AFFL		wall protection

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
13650	Metal shelving: 1200x600x2100	Furniture/ Fitting	3	2	heavy duty
13665	Metal shelving: 900x600x2100	Furniture/ Fitting	3	2	heavy duty

Fixtures, Equipment and associated Services (FE)**Services**

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	2	for recharging equipment