Department Standard Components Room Tag: 4740

Room Name Waiting, 30m2 Room Code: WAIT-30

Net Room Area Briefed 30.0 M2

No of Rooms

Subtotal of Briefed Area 30.00 M2

Hours of Operation 24 Hours

Occupancy Up to 25

Also covers these Rooms

Description/ Special Requirements An area for visitors, patients and families to wait in comfort prior to or during visits to a Unit. A range of occupants will need to be considered including adults and children, both able-bodied, people with disabilities and provide bariatric capacity in many instances. An external outlook is desirable; waiting areas may be shared between Units; public amenities should be located nearby.

Amendment 16.06.05 First Draft

10.03.09, - 2009 AUSHFG Review; default finishes noted

### Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		Default = Carpet; vinyl also acceptable
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH		Default = Feather edged; or floor vinyl coved skirting
3000	Wall finish	Paint	Acrylic, washable			
4030	Wall protection	Composite	Prefinished PVC	Corner guards to 900 AFFL		as required, Equal to Acrovyn
7001	Windows					desirable

### Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
23410	Bracket: television, wall mount	Metalwork	1	1	
2700	Chair: waiting	Furniture/ Fitting	3	23	may have a mixture of chairs with arms and without arms; include space for wheelchairs
4900	Curtain track: window	Metalwork	1	1	optional; may also use blinds
5410 Curtain: window, drapes		Furniture/ Fitting	3	1	optional
17360	Pinboard: fabric covered	Furniture/ Fitting	2	1	or artwork, optional
13120	Rack: magazine/ pamphlet	Furniture/ Fitting	3	1	
23295 Stand: public telephone		Furniture/ Fitting	3	1	optional
22800	Table: low	Furniture/ Fitting	3	2	

## Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Тар	Dns	Gas	Selection / Remarks
41900	Telephone: public	3	1	yes	yes							optional
54580	Television: 54 cm	3	1	yes								Flat screen on bracket

Australasian FG Provided by HPI for AHIA & UNSW for : Issue No: 3 Print Date: 27 Mar 2009

Australasian HFG Issue Date: 30 Mar 2009 Page 1 of 2

# **Australasian Standard Project**

**Room Data Sheets** 

Department Standard Components Room Tag: 4740

Room Name Waiting, 30m2 Room Code: WAIT-30

### **Services**

ID	Description	Service Category	Qty	Selection / Remarks
1011	Telephone: public phone	Communications	1	optional
1090	TV: MATV	Communications	1	
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9015	GPO: Cleaner	Power	1	as required
9060	GPO: Special: for equipment	Power	2	TV, pay phone