

## AX APPENDICES

### AX.01 Schedule of Accommodation

A Schedule of Accommodation follows.

The 'Room/ Space' column describes each room or space within the Unit. Some rooms are identified as 'Standard Components' (SC) or as having a corresponding room which can be derived from a SC. These rooms are described as 'Standard Components –Derived' (SC-D). The 'SD/SD-C' column identifies these rooms and relevant room codes and names are provided.

All other rooms are non-standard and will need to be briefed using relevant functional and operational information provided in this HPU.

In some cases, Room/ Spaces are described as 'Optional' or 'o'. Inclusion of this Room/ Space will be dependent on a range of factors such as operational policies or clinical services planning.

#### MAIN ENTRANCE

AusHFG Code	Room	Room / Space	SC / SC-D	Qty	m2	Remarks
BWC		Bay - Wheelchair Park	Yes	1	8	For 5 wheelchairs
CLRM-5		Cleaner's Room, 5m2	Yes	1	5	
AIRLE-10		Airlock - Entry	Yes	1	12	
LNPT-30		Lounge / Meeting Room	Yes	1	30	Optional; Refer to operational policies; Beverage Bay included; Access to outdoor area desirable.
		Main Lobby/ Display Space		1	30	Room size will depend on size of health facility and volume of traffic to be directed via the Main Entry
INTF		Interview Room	Yes	1	15	Optional; Refer to operational policies. Patient Advocate
OFF-S9		Office - Single Person, 9m2	Yes	1	9	Optional; Dependant on size of service. Aboriginal Liaison Officer
OFF-S9		Toilet - Public, 3m2	Yes	1	9	Female
RECL-10		Reception / Clerical, 10m2	Yes	1	10	Assumes separate admissions / cashier
STGN-9		Store - General	Yes	1	10	Optional for volunteers
WCST		Toilet - Public, 3m2	Yes	1	3	Male
		Volunteers Room		1	15	Optional. Room for Volunteers to meet, work and store belongings.
WAIT-30		Waiting	Yes	1	36	8 x 1.5m2 spaces; 15 x 1.2m2 spaces
		Discounted Circulation			25%	

#### PUBLIC AMENITIES

AusHFG Code	Room	Room / Space	SC / SC-D	Qty	m2	Remarks
BATM-2		Bay - ATM	Yes	1	2	Optional; Discrete area
		Bay - Parking Machine		1	2	
BPH		Bay - Public Telephone	Yes	1	4	
BVM-3		Bay - Vending	Yes	1	3	
BWD-1		Bay - Water Dispenser	Yes	1	1	In absence of vending machine / kiosk
PAR		Parenting Room	Yes	1	6	
WCAC		Toilet - Accessible, 6m2	Yes	1	6	
WCPU-3		Toilet - Public, 3m2	Yes	3	3	Female
WCPU-3		Toilet - Public, 3m2	Yes	3	3	Male
		Discounted Circulation			10%	

Toilet numbers and space requirements will be subject to BCA and AS 1428 part 1 and 2. The requirements above are a guide only.

#### KIOSK / COFFEE SHOP

AusHFG Code	Room	Room / Space	SC / SC-D	Qty	m2	Remarks
		Preparation		1	12	
		Seating		1	50	For 30 people
		Servery		1	15	
STGN-9		Store - General, 9m2	Yes	1	10	Includes dry and cold storage
		Discounted Circulation			20%	


The schedules of accommodation for the Kiosk as well as other retail e.g. newsagent, florist, commercial pharmacy etc. will be dependent on the size of the facility and the nature of retail to be established.

#### SPIRITUAL CARE

AusHFG Code	Room	Room / Space	SC / SC-D	Qty	m2	Remarks
BBEV-OP		Bay - Beverage, Open Plan, 4m2	Yes	1	4	Part of Meeting Room
		Faith Specific Prayer Room		1	12	Requirement dependent on user profile
MEET-12		Meeting Room, 12m2	Yes	1	12	For private counselling
OFF-S9		Office - Single Person, 9m2	Yes	1	9	Will depend on staff establishment
		Spiritual Care Multi-purpose Room		1	40	May also need vestry type space
		Wash Room		1	4	For religious ablutions if required
		Discounted Circulation			15%	

## AX.02 Functional Relationships / Diagrams

The following diagram sets out the relationships between zones in Front of House:



## AX.03 Checklists

Refer to the Planning Checklists at the ends of Parts A, B, C and D of these Guidelines.