



Room Name	Mortuary - Exit	Room Number MOR-EX			
Revision	3				
Issue Date	20.03.17				
BRIEFING					
Briefed Area	7.00 m ²				
Hours of Operation	24 Hours				
Occupancy	1 - 2 intermittently				
Acoustics					
Remarks					
Description / Special Requirements	Exit from Mortuary Cool Store area to the loading dock area. Entry to this area by authorised personnel. Handwashing facilities should be located in close proximity. This area may include a observation bay for Autospy room if required.				
SERVICES					
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No			
Air	AIRCONDITIONING = Yes	AIRCONDITIONING: hepa filtered = No			
	AIRCONDITIONING: positive pressure = No	AIRCONDITIONING: negative pressure = No			
	EXHAUST: room exhaust = No	VENTILATION = No			
Lighting	LIGHTING: colour corrected = No	LIGHTING: dimmable = No			
J J	LIGHTING: downlights = No	LIGHTING: downlights, dimmable = No			
	LIGHTING: fluorescent, downlights = No	LIGHTING: fluorescent, flush with ceiling, tamper proof = No			
	LIGHTING: fluorescent, general = Yes	LIGHTING: indirect = No			
Nurse Call	NURSE CALL SYSTEM = No				

Room Fabrics

AusHFG code	Description	Comment
CLTI-008	CEILING: plasterboard, drop-in tiles, prefinished, 600 x 1200	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
DWSC-021	DOOR: 1400mm c/o, 1 1/2 leaf, solid core, paint	1400mm clear opening, lockable
DWPR-006	DOOR PROTECTION: protection plate, to 900 AFFL, PVC, prefinished	equal to Acrovyn
DWPR-010	DOOR PROTECTION: to door frame, PVC, prefinished	equal to Acrovyn
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-012	WALL PROTECTION: corner guards, to 900 AFFL, prefinished PVC	Equal to 'Acrovyn', as required

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FQBS-018	CHAIR: office, ergonomic	3	1	to desk, if provided
FQDW-001	DESK: adj height, 1100W x 600D x 750H nom.	3	1	optional, small
FIHR-026	HOOK: coat	1	2	
FIBM-013	NOTICEBOARD: fixed, fabric covered	1	1	900 x 900, optional
ITNE-049	TELEPHONE: handset, desktop	3	1	to desk, optional

AHHA
assistents at the of assistence

Page: 1 Print Date: 20/03/2017



Room Data Sheet



Room Name

Mortuary - Exit

Room Number MOR-EX

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ELGP-208	GPO: double, wall mounted	1	2	
ITIN-026	OUTLET: data, double RJ45, wall mounted	1	1	1 outlet for telephone
ELBO-015	SWITCH: light, single	1	1	

