



Room Name	Office - Single Person, 12m2	Room Number OFF-S12		
Revision	5			
Issue Date	20.03.17			
BRIEFING				
Briefed Area	12.00 m ²			
Hours of Operation	8am to 6pm, daily			
Occupancy	1 staff member; up to 2 visitors			
Acoustics	Sound attenuation level medium, Acoustic privacy is required.			
Remarks				
Description / Special Requirements		Director or other senior Manager to carry out administrative e allows for a small meeting area within the room. An external		
SERVICES				
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No		
Air	AIRCONDITIONING = Yes	AIRCONDITIONING: hepa filtered = No		
	AIRCONDITIONING: positive pressure = No	AIRCONDITIONING: negative pressure = No		
	EXHAUST: room exhaust = No	VENTILATION = No		
Lighting	LIGHTING: colour corrected = No	LIGHTING: dimmable = No		
	LIGHTING: downlights = No	LIGHTING: downlights, dimmable = No		
	LIGHTING: fluorescent, downlights = No	LIGHTING: fluorescent, flush with ceiling, tamper proof = No		
	LIGHTING: fluorescent, general = Yes	LIGHTING: indirect = No		
Nurse Call	NURSE CALL SYSTEM = No			

Room Fabrics

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
DWGL-003	DOOR: 910mm c/o, single leaf, half glazed, solid core/safety glass, paint	
DWPR-001	DOOR PROTECTION: kickplate, to 300 AFFL	
FLCP-006	FLOOR FINISH: carpet, carpet tiles, 90/10 wool/nylon	
DWOB-002	OBSERVATION: internal window, alum/glass, door height, powdercoat	
FLSK-009	SKIRTING: vinyl, feather edged, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
DWWH-005	WINDOW	Desirable

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FQCW-016	BIN: waste, general, 20L	3	1	
FQSN-033	CABINET: tall, double door, tambour, adj shelves, lockable	3	1	
FQBS-018	CHAIR: office, ergonomic	3	1	
FQBS-029	CHAIR: visitor, office areas	3	3	
ITNE-007	COMPUTER: desktop, with display screen	3	1	

AHHA

autralisain heith infrastructure sillissee
erstrucci (Lausstructur sill state och raken händra

Page: 1 Print Date: 20/03/2017





Room Name

Office - Single Person, 12m2

Room Number OFF-S12

AusHFG code	Description	Group	Qty	Comment
FIHR-026	HOOK: coat	1	1	
LIPO-005	LIGHT: task light, portable	1	1	Optional depending on tasks being undertaken
FIBM-013	NOTICEBOARD: fixed, fabric covered	1	1	Optional
FQSM-007	PEDESTAL: mobile, drawer unit, 660H	3	1	Lockable, under workstation
FQTA-057	TABLE: round, 900 diam, work height	3	1	
ITNE-050	TELEPHONE: handset, desktop, handsfree	3	1	
FIBM-019	WHITEBOARD: fixed, magnetic	2	1	
DWWD-013	WINDOW DRESSING: external window	3	0	If external window provided
FQDW-019	WORKSTATION: corner, adj height, 1800/1800W x 750D x 750H nom.	3	1	

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ELGP-208	GPO: double, wall mounted	1	3	Number as per ICT policy
ITIN-026	OUTLET: data, double RJ45, wall mounted	1	1	Number as per ICT policy
ELBO-015	SWITCH: light, single	1	1	



Page: 2 Print Date: 20/03/2017