

Room Name	Pharmacy - Counter		Room Number PHA-CO	
Revision Issue Date	4 26.04.2021			
issue Date	20.04.2021			
BRIEFING				
Briefed Area	9.00 m ²			
Hours of Operation	8am to 8pm, daily			
Occupancy	1-2 staff			
Acoustics	Sound attenuation level - Medium; acoust	ic priv	vacy required.	
Remarks				
Description / Special Requirements		pense	on point for the Pharmacy Unit for patients and staff to droped prescriptions. The Counter is to have good visibility of the	
		hese	ications will be provided to patients at the counter and a deq discussions. Interview rooms may be located nearby to pro- unselling.	
			cilities may be required in this space depending on operatic e Unit to the central hospital cashier.	onal
	pharmacy staff and patier considered. Small items v – the design of the glazing • The ability to lock down the constant of t	nts wit will als g need ne Uni	d. The design must support clear communication between th communication slots. A hearing augmentation system mass oneed to be passed through and forms may need to be signed to support this function. it, e.g. in evenings when the pharmacy is closed, is required ble doors from public corridors to the waiting area, however	gned d.
	lockable shutters to the co	ountei	r may be considered.	
SERVICES				
Electrical	BODY PROTECTED		CARDIAC PROTECTED	
HVAC	AIRCONDITIONING	\checkmark	AIRCONDITIONING: hepa filtered	
	AIRCONDITIONING: positive pressure		AIRCONDITIONING: negative pressure	
	EXHAUST: room exhaust		VENTILATION	
Lighting	LIGHTING: colour corrected	7	LIGHTING: dimmable	
	LIGHTING: downlights	√	LIGHTING: downlights, dimmable	
	LIGHTING: fluorescent/LED, downlights		LIGHTING: fluorescent/LED, flush with ceiling, tamper proof	
	LIGHTING: fluorescent/LED, general	V	LIGHTING: indirect	
Security / Nurse Call	NURSE CALL SYSTEM			

Room Fabrics

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	
CLCN-009	CORNICE: wall trim fixing	
FLCP-006	FLOOR FINISH: carpet, carpet tiles, 90/10 wool/nylon	vinyl is also acceptable
FLSK-009	SKIRTING: vinyl, feather edged, 150H, prefinished	seamless coved vinyl skirting if vinyl flooring provided
WLWA-004	WALL FINISH: paint, acrylic, washable	

Fittings, Furniture and Equipment (FF&E) Items



Page: 1 Print Date: 21/04/2021





Room Name

Pharmacy - Counter

Room Number PHA-CO

AusHFG code	Description	Group	Qty	Comment
FIJO-051	BENCH TOP: 450D, joinery under	1	1	
FIJO-058	BENCH TOP: 600D, joinery under	1	2	
FQCW-016	BIN: waste, general, 20L	3	1	quantity and type of bins to be based on local waste management policies
FQCW-064	BIN: waste, paper, secure, 20L	3	1	quantity and type of bins to be based on local waste management policies
FQSN-028	CABINET: pass through	1	1	lockable, under bench, for transfer of large items
FIJO-099	CAC: cable access cap	3	2	
FQBS-018	CHAIR: office, ergonomic	3	1	
FQBS-019	CHAIR: office, ergonomic, high	3	1	
ITNE-007	COMPUTER: desktop, with display screen	3	2	
FIJO-114	CUPBOARD: drawer unit, lockable	1	1	
FIJO-135	CUPBOARD: underbench, double door, adj shelves	1	2	
FIJO-229	JOINERY UNIT: reception counter, pharmacy	1	1	
FIJO-230	JOINERY UNIT: reception counter, pharmacy, accessible	1	1	
FIJO-213	PANEL: joinery carcass end	1	1	
ITNE-023	PRINTER: networked	3	1	optional
WLPT-015	SCREEN: security, safety glass, with communication slot and pass through	1	2	
ITNE-049	TELEPHONE: handset, desktop	3	2	

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ITSE-006	BUTTON: duress, fixed	1	1	shared, below desk
ELGP-208	GPO: double, wall mounted	1	3	
ELGP-223	GPO: emergency power, double, wall mounted	1	2	extent of emergency power to be determined based on service requirements
ITIN-026	OUTLET: data, double RJ45, wall mounted	1	3	
ELBO-015	SWITCH: light, single	1	1	

Page: 2 Print Date: 21/04/2021