

Room Name	Store - Bulk, 20m2	Room Number STBK-20				
Revision	3					
Issue Date	20.03.17					
BRIEFING						
Briefed Area	20.00 m ²					
Hours of Operation	24 Hours					
Occupancy	Up to 3					
Acoustics						
Remarks						
Description / Special Requirements	The Bulk Store is the primary storage area for all delivered supplies and stores prior to distribution to hospital Units when requisioned or on an imprest supply system. The area requires security and controlled access. The Bulk Store should be located with ready access to the loading dock area.					
SERVICES						
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No				
Air	AIRCONDITIONING = Yes AIRCONDITIONING: positive pressure = No EXHAUST: room exhaust = No	AIRCONDITIONING: hepa filtered = No AIRCONDITIONING: negative pressure = No VENTILATION = No				
Lighting	LIGHTING: colour corrected = No LIGHTING: downlights = No LIGHTING: fluorescent, downlights = No LIGHTING: fluorescent, general = Yes	LIGHTING: dimmable = No LIGHTING: downlights, dimmable = No LIGHTING: fluorescent, flush with ceiling, tamper proof = No LIGHTING: indirect = No				
Nurse Call	NURSE CALL SYSTEM = No					

Room Fabrics

AusHFG code	Description	Comment
CLTI-008	CEILING: plasterboard, drop-in tiles, prefinished, 600 x 1200	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
DWSC-033	DOOR: 1800mm c/o, double leaf, solid core, paint	lockable
DWPR-006	DOOR PROTECTION: protection plate, to 900 AFFL, PVC, prefinished	equal to Acrovyn
DWPR-010	DOOR PROTECTION: to door frame, PVC, prefinished	equal to Acrovyn
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FQCA-026	FRIDGE: commercial, floor standing, double door	3	1	optional
FQSN-086	SHELVING: floor standing, 900W x 400D x 2100H nom., metal	3	16	

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ELGP-208	GPO: double, wall mounted	1	1	

AHHA

aviralision health infrastructure alliance

scriptures: Dissentative St. and and a realize blocker

scriptures: Dissentative St. and and a realize blocker

scriptures: Dissentative St. and and and a realize blocker

Page: 1 Print Date: 20/03/2017



Room Data Sheet



Room Name

Store - Bulk, 20m2

Room Number STBK-20

AusHFG code	Description	Group	Qty	Comment
ELGP-223	GPO: emergency power, double, wall mounted	1	1	for refrigerator (optional)
ITIN-026	OUTLET: data, double RJ45, wall mounted	1	1	
ITIN-026	OUTLET: data, double RJ45, wall mounted	1	1	1 for fridge temp alarm if required

AHHA

Page: 2 Print Date: 20/03/2017