

| Room Name | Store - Cleaners | Room Number STCL |
|---------------------------------------|---|--|
| Revision | 5 | |
| Issue Date | 20.03.17 | |
| BRIEFING | | |
| Briefed Area | 12.00 m ² | |
| Hours of Operation | 24 Hours | |
| Occupancy | 1 - 2 intermittently | |
| Acoustics | | |
| Remarks | | |
| Description / Special Requirements | The Cleaners Store is a bulk store provided fo containers of cleaning chemicals and mobile c | r the central storage of large items of cleaning equipment, bulk leaning equipment. |
| SERVICES | | |
| General Requirements | BODY PROTECTED = No | CARDIAC PROTECTED = No |
| Air | AIRCONDITIONING = No AIRCONDITIONING: positive pressure = No EXHAUST: room exhaust = Yes | AIRCONDITIONING: hepa filtered = No AIRCONDITIONING: negative pressure = No VENTILATION = Yes |
| Lighting | LIGHTING: colour corrected = No LIGHTING: downlights = No LIGHTING: fluorescent, downlights = No LIGHTING: fluorescent, general = Yes | LIGHTING: dimmable = No LIGHTING: downlights, dimmable = No LIGHTING: fluorescent, flush with ceiling, tamper proof = No LIGHTING: indirect = No |
| Nurse Call | NURSE CALL SYSTEM = No | |

Room Fabrics

| AusHFG code | Description | Comment |
|-------------|--|--------------------|
| CLTI-008 | CEILING: plasterboard, drop-in tiles, prefinished, 600 x 1200 | |
| CLCN-002 | CORNICE: aluminium, 24mm shadow angle, powdercoat | |
| DWSC-021 | DOOR: 1400mm c/o, 1 1/2 leaf, solid core, paint | Lockable |
| DWPR-006 | DOOR PROTECTION: protection plate, to 900 AFFL, PVC, prefinished | Equal to 'Acrovyn' |
| DWPR-010 | DOOR PROTECTION: to door frame, PVC, prefinished | Equal to 'Acrovyn' |
| FLVY-007 | FLOOR FINISH: vinyl, seamless, coved, standard slip resistant | |
| FLSK-010 | SKIRTING: vinyl, floor vinyl coved, 150H, prefinished | |
| WLWA-004 | WALL FINISH: paint, acrylic, washable | |
| WLPR-018 | WALL PROTECTION: crash rail, at 350 AFFL, prefinished PVC | Equal to 'Acrovyn' |
| WLPR-019 | WALL PROTECTION: crash rail, at 900 AFFL, prefinished PVC | Equal to Acrovyn |

Fittings, Furniture and Equipment (FF&E) Items

| AusHFG code | Description | Group | Qty | Comment |
|-------------|--|-------|-----|------------|
| FQSN-095 | SHELVING: floor standing, 1200W x 400D x 2100H nom., metal | 3 | 3 | heavy duty |

Engineering Services

AHHA
autraliain heith infrastructur eilikene
erstrucks (LAMMANN 15 HAV BART VANT VANT VANT

Page: 1 Print Date: 20/03/2017



Room Data Sheet



Room Name

Store - Cleaners

Room Number STCL

| AusHFG code | Description | Group | Qty | Comment |
|-------------|---|-------|-----|---------|
| ELGP-208 | GPO: double, wall mounted | 1 | 2 | |
| ITIN-026 | OUTLET: data, double RJ45, wall mounted | 1 | 1 | |
| ELBO-015 | SWITCH: light, single | 1 | 1 | |



Page: 2 Print Date: 20/03/2017