



Room Name	Store - Cleaner	Room Number STCL				
Revision Issue Date	6 12.07.2023					
BRIEFING Briefed Area Hours of Operation Occupancy Acoustics Remarks Description / Special Requirements	cleaning chemicals. Large facilities may quantities, safety requirements and oper units. Additional Considerations: Hold open door hardware trolleys in and out of the rolleys in and out of the rolleys and operational. Type and extent of storage serviced and operational. Type of storage provided quantities of chemicals of service requirements. A clean linen trolley, or explained either onsite of size of facility.	- Cleaner is a store provided for the central storage of consumables and bulk containers of chemicals. Large facilities may provide a separate room for the storage of chemicals depending on a safety requirements and operational policies for centralised storage and decanting of chemicals to Considerations: Hold open door hardware may be required to allow for easy movement of equipment and trolleys in and out of the room. Type and extent of storage solutions for this room will depend on the departments to be serviced and operational models for cleaning and restocking consumables. Type of storage provided for cleaning chemicals, particularly where the storage of significant quantities of chemicals containing flammable ingredients, to be assessed to meet safety and service requirements. A clean linen trolley, or equivalent, may be provided for storage of clean mop heads that are laundered either onsite or offsite. The size of trolley will vary depending on service model and				
SERVICES Electrical HVAC Lighting	BODY PROTECTED AIRCONDITIONING AIRCONDITIONING: positive pressure EXHAUST: room exhaust LIGHTING: colour corrected LIGHTING: downlights LIGHTING: fluorescent/LED, downlights LIGHTING: fluorescent/LED, general	CARDIAC PROTECTED AIRCONDITIONING: hepa filtered AIRCONDITIONING: negative pressure VENTILATION LIGHTING: dimmable LIGHTING: downlights, dimmable LIGHTING: fluorescent/LED, flush with ceiling, tamper proof LIGHTING: indirect				
Security / Nurse Call	NURSE CALL SYSTEM					

Room Fabrics

AusHFG code	Description	Comment
CLTI-008	CEILING: plasterboard, drop-in tiles, prefinished, 600 x 1200	
CLCN-009	CORNICE: wall trim fixing	
DWSC-021	DOOR: 1400mm c/o, 1 1/2 leaf, solid core, paint	lockable or secure staff access, hold open hardware may be required, vision panel may be provided
DWPR-005	DOOR PROTECTION: protection plate to 900 AFFL	
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	



Page: 1 Print Date: 12/07/2023





Room Name

Store - Cleaner

Room Number STCL

AusHFG code	Description	Comment
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLWA-020	WALL FINISH: vinyl, to 1500 AFFL	height dependent on movement of trolleys and pallets, crash rails are also acceptable

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FQSN-012	CABINET: cleaning equipment	1	1	lockable
FIHR-029	HOOK: equipment	1	2	type and extent of storage solutions will be dependent on service requirements
FQSN-086	SHELVING: floor standing, 900W x 400D x 2100H nom., metal	3	3	type and extent of storage solutions will be dependent on service requirements

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ELGP-208	GPO: double, wall mounted	1	2	
ITSE-038	READER: access control, general	1	1	
ELBO-015	SWITCH: light, single	1	1	

Page: 2 Print Date: 12/07/2023