



Room Name	Store - Equipment, 14m2	Room Number STEQ-14				
Revision	5					
Issue Date	20.03.17					
BRIEFING						
Briefed Area	14.00 m ²					
Hours of Operation	24 Hours					
Occupancy	1 - 2 intermittently					
Acoustics						
Remarks						
Description / Special Requirements	The Equipment Store is used for the storage of medical equipment when not in use and recharging of electrical items. Space is required for parking of mobile equipment including IV poles, wheelchairs, lifting equipment, trolleys, cradles and commode chairs for the Unit. Hooks will be required for hanging equipment.					
SERVICES						
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No				
Air	AIRCONDITIONING = Yes	AIRCONDITIONING: hepa filtered = No				
	AIRCONDITIONING: positive pressure = No	AIRCONDITIONING: negative pressure = No				
	EXHAUST: room exhaust = No	VENTILATION = No				
Lighting	LIGHTING: colour corrected = No	LIGHTING: dimmable = No				
	LIGHTING: downlights = No	LIGHTING: downlights, dimmable = No				
	LIGHTING: fluorescent, downlights = No	LIGHTING: fluorescent, flush with ceiling, tamper proof = No				
	LIGHTING: fluorescent, general = Yes	LIGHTING: indirect = No				
Nurse Call	NURSE CALL SYSTEM = No					

Room Fabrics

AusHFG code	Description	Comment
CLTI-008	CEILING: plasterboard, drop-in tiles, prefinished, 600 x 1200	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
DWSC-021	DOOR: 1400mm c/o, 1 1/2 leaf, solid core, paint	lockable
DWPR-006	DOOR PROTECTION: protection plate, to 900 AFFL, PVC, prefinished	equal to Acrovyn
DWPR-010	DOOR PROTECTION: to door frame, PVC, prefinished	equal to Acrovyn
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-019	WALL PROTECTION: crash rail, at 900 AFFL, prefinished PVC	Equal to Acrovyn

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FIHR-030	HOOK: equipment, on mounting plate	1	4	
FIRT-012	RAIL: equipment	1	2	vertical for recharging pumps, optional
FQSN-086	SHELVING: floor standing, 900W x 400D x 2100H nom., metal	3	4	
FIBM-018	WHITEBOARD: fixed	2	1	900 x 900, optional

AHHA
assistents at the of assistence

Page: 1 Print Date: 20/03/2017

Generated from dRofus © 2017 dRofus Pty Ltd



Room Data Sheet



Room Name

Store - Equipment, 14m2

Room Number STEQ-14

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ELGP-208	GPO: double, wall mounted	1	6	for equipment recharging
ELBO-015	SWITCH: light, single	1	1	

