

| Room Name | Store - Files, 10m2 | Room Number STFS-10 | | | | | | |
|------------------------------------|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|--|--|--|--|--|--|
| Revision | 6 | | | | | | | |
| Issue Date | 24.06.2022 | | | | | | | |
| BRIEFING | | | | | | | | |
| Briefed Area | 10.00 m ² | | | | | | | |
| Hours of Operation | Available 24 hours | | | | | | | |
| Occupancy | 1-2 staff intermittently | | | | | | | |
| Acoustics | | | | | | | | |
| Remarks | | | | | | | | |
| Description / Special Requirements | The Files Store is a secure room for the storage of departmental files or patient clinical records. | | | | | | | |
| opecial requirements | Additional Considerations: | | | | | | | |
| | Type, size and quan WHS policies | tity of shelving to be selected to suit service requirements and | | | | | | |
| | Fire rating to room to be in accordance with NCC and local jurisdiction Records Acts. | | | | | | | |
| | | | | | | | | |
| SERVICES | | | | | | | | |
| Electrical | BODY PROTECTED | CARDIAC PROTECTED | | | | | | |
| | | | | | | | | |
| HVAC | AIRCONDITIONING | AIRCONDITIONING: hepa filtered | | | | | | |
| | AIRCONDITIONING: positive pressure | AIRCONDITIONING: negative pressure | | | | | | |
| | EXHAUST: room exhaust | VENTILATION | | | | | | |
| Lighting | LIGHTING: colour corrected | LIGHTING: dimmable | | | | | | |
| | LIGHTING: downlights | LIGHTING: downlights, dimmable | | | | | | |
| | LIGHTING: fluorescent/LED, downlights | LIGHTING: fluorescent/LED, flush with ceiling, tamper proof | | | | | | |
| | LIGHTING: fluorescent/LED, general | ✓ LIGHTING: indirect | | | | | | |
| Security / Nurse Call | NURSE CALL SYSTEM | | | | | | | |

Room Fabrics

| AusHFG code | Description | Comment |
|-------------|------------------------------------------------------------------|----------|
| CLTI-008 | CEILING: plasterboard, drop-in tiles, prefinished, 600 x 1200 | |
| CLCN-009 | CORNICE: wall trim fixing | |
| DWSC-003 | DOOR: 910mm c/o, single leaf, solid core, paint | Lockable |
| DWPR-006 | DOOR PROTECTION: protection plate, to 900 AFFL, PVC, prefinished | |
| FLVY-007 | FLOOR FINISH: vinyl, seamless, coved, standard slip resistant | |
| FLSK-010 | SKIRTING: vinyl, floor vinyl coved, 150H, prefinished | |
| WLWA-004 | WALL FINISH: paint, acrylic, washable | |

australasian bealth infrastructure alliance

Page: 1 Print Date: 29/06/2022





Room Name

Store - Files, 10m2

Room Number STFS-10

Fittings, Furniture and Equipment (FF&E) Items

| AusHFG code | Description | Group | Qty | Comment |
|-------------|----------------------------------------------------------|-------|-----|-----------|
| FQSN-085 | SHELVING: floor standing, 900W x 400D x 2100H nom., wire | 3 | 9 | |
| FQGE-095 | STEP: safety | 3 | 1 | |
| FIBM-019 | WHITEBOARD: fixed, magnetic | 2 | 1 | optional. |

Engineering Services

| AusHFG code | Description | Group | Qty | Comment |
|-------------|---------------------------------|-------|-----|---------|
| ELGP-208 | GPO: double, wall mounted | 1 | 1 | |
| ITSE-038 | READER: access control, general | 1 | 1 | |
| ELBO-015 | SWITCH: light, single | 1 | 1 | |



Page: 2 Print Date: 29/06/2022