

| Room Name                             | Store - General, 9m2  | Room Number STGN-9   |
|---------------------------------------|---|--|
| Revision                              | 5   |  |
| Issue Date                            | 20.03.17  |  |
| BRIEFING                              |   |  |
| Briefed Area                          | 9.00 m <sup>2</sup>   |  |
| Hours of Operation                    | 24 Hours  |  |
| Occupancy                             | 1 - 2 intermittently  |  |
| Acoustics                             |   |  |
| Remarks                               |   |  |
| Description /<br>Special Requirements | The General Store is a secure room for the sto also be recharged in this room.  | orage of general supplies used within the Unit. Equipment may  |
| SERVICES                              |   |  |
| General Requirements                  | BODY PROTECTED = No   | CARDIAC PROTECTED = No   |
| Air                                   | AIRCONDITIONING = Yes AIRCONDITIONING: positive pressure = No EXHAUST: room exhaust = No  | AIRCONDITIONING: hepa filtered = No AIRCONDITIONING: negative pressure = No VENTILATION = No   |
| Lighting                              | LIGHTING: colour corrected = No LIGHTING: downlights = No LIGHTING: fluorescent, downlights = No LIGHTING: fluorescent, general = Yes | LIGHTING: dimmable = No LIGHTING: downlights, dimmable = No LIGHTING: fluorescent, flush with ceiling, tamper proof = No LIGHTING: indirect = No |
| Nurse Call                            | NURSE CALL SYSTEM = No  |  |

## **Room Fabrics**

| AusHFG code | Description  | Comment  |
|-------------|--|----------|
| CLTI-008    | CEILING: plasterboard, drop-in tiles, prefinished, 600 x 1200    |          |
| CLCN-002    | CORNICE: aluminium, 24mm shadow angle, powdercoat                |          |
| DWSC-003    | DOOR: 910mm c/o, single leaf, solid core, paint                  | Lock set |
| DWPR-006    | DOOR PROTECTION: protection plate, to 900 AFFL, PVC, prefinished |          |
| DWPR-010    | DOOR PROTECTION: to door frame, PVC, prefinished                 |          |
| FLVY-007    | FLOOR FINISH: vinyl, seamless, coved, standard slip resistant    |          |
| FLSK-010    | SKIRTING: vinyl, floor vinyl coved, 150H, prefinished            |          |
| WLWA-004    | WALL FINISH: paint, acrylic, washable                            |          |

## Fittings, Furniture and Equipment (FF&E) Items

| AusHFG code | Description   | Group | Qty | Comment          |
|-------------|---|-------|-----|------------------|
| FQSN-007    | BIN: storage bins, wire mesh, stainless steel             | 1     | 15  |                  |
| FIHR-033    | PANEL: for storage bins, wall mount                       | 1     | 3   | 1800H - optional |
| FQSN-086    | SHELVING: floor standing, 900W x 400D x 2100H nom., metal | 3     | 7   |                  |
| FIBM-019    | WHITEBOARD: fixed, magnetic                               | 2     | 1   |                  |

## **Engineering Services**

AJHAA australosion hoofb infrastrucker elikone commence countered to direct out a resident mountain Page: 1 Print Date: 20/03/2017



**Room Data Sheet** 



**Room Name** 

Store - General, 9m2

## **Room Number STGN-9**

| AusHFG code | Description                             | Group | Qty | Comment                             |
|-------------|---|-------|-----|-------------------------------------|
| ELGP-208    | GPO: double, wall mounted               | 1     | 1   |                                     |
| ITIN-026    | OUTLET: data, double RJ45, wall mounted | 1     | 1   | 1 outlet for telephone, if provided |
| ELBO-015    | SWITCH: light, single                   | 1     | 1   |                                     |



Page: 2 Print Date: 20/03/2017