

### **Standard Components - Room Data Sheet**

Last modified 01/03/2016

Briefed Area Remarks

Requirements

9.00

Occupancy 1 patie

1 patient, 1 support person, 1 staff assisting

Hours of Operation
Acoustics
Description or Special

☑ 0800 Hours to 1800 Hours, daily

The Treatment Bay - Renal Dialysis is used for day treatment of patients undergoing renal dialysis treatments. Treatments for each patient may take from 3 to 6 hours, for 3 days per week. Natural light is desirable. Furniture and furnishings should provide a high level of patient comfort and amenity. A staff handwashing basin will be located in close proximity. Body Protected electrical area

#### **Room Fabrics**

AusHFG code	Description	Material	Finish	Specification	Comments
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	
3000	Wall finish	Paint	Acrylic, washable		
3092	Wall protection	MDF	Laminate	Bed protection wall panel	
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	Minimum height 2700mm, flush set plasterboard ceiling also acceptable
7001	Windows				Desirable
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

### **Fittings and Furniture**

AusHFG code	Description	Group	Qty	Comments
FF-1250	Blind - Venetian	3	1	to external windows, if provided
FF-1465	Bracket - suction bottle	2	1	
FF-150	Air flowmeter	3	1	optional
FF-16200	Table - overbed	3	1	may use a fixed table attached to a recliner chair
FF-16250	Oxygen flowmeter	3	1	
FF-21950	Suction adapter	3	1	
FF-2200	Chair - recliner	3	1	or patient bed
FF-22000	Suction bottle	3	1	
FF-2650	Chair - visitor, patient	3	1	
FF-4600	Curtain track - bed screen	1	1	
FF-5000	Curtain - bed screen	3	1	
FF-7402	Trolley - equipment	3	1	
FF-5825	Bracket - patient entertainment, ceiling	1	1	

Fixtures, Equipment and associated Services







# **Standard Components - Room Data Sheet**

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Тар	Dns	Gas	Comments
FE-15980	Dialysis machine	3	1	V		<b>V</b>				V		if space used for dialysis
FE-15985	Dialysis station	1	1			V		V	<b>V</b>	V		if space used for dialysis; RO reticulated water and drain
FE-54510	Telephone - handset, standard	3	1		V							
FF-5547	Patient entertainment	1	1									
FE-5857	Light - procedures small, ceiling	1	1	V								

## **Service Requirements**

### **Services**

AusHFG code	Description	Group	Qty	Comments	
S-9010	GPO: Emergency power, single (V)	1	2	monitor	
S-9001	GPO: Double	1	3		
S-9015	GPO: Cleaner	1	1		
S-9040	Body protected	1	1		
S-9060	GPO: Special: for equipment	1	2	TV, ceiling	
S-1006	Voice / Data outlet: double	1	1	1 outlet for telephone	
S-1090	TV: MATV	1	1		
S-4037	Tundish drain	1	1	for low temp steriliser, optional	
S-4045	Reverse osmosis (RO) water outlet	1	1		
S-5000	Airconditioning	1	1		
S-6001	General: colour corrected	1	1		
S-6200	Light switches	1	1		
S-6050	Special: reading	2	1	Up/down light	
S-8000	Patient/ Staff call	1	1	+ indicator button & light	
S-8005	Patient call handset	1	1	call button & light switch on the handset	
S-8010	Staff/ Nurse assist call	1	1	+ indicator button & light	
S-8080	Emergency call	1	1	+ indicator button & light	
S-1951	Staff assist call	1	1	+ indicator button & light	
S-7000	Oxygen (O2)	1	1		
S-7020	Medical Air (MA)	1	1		







# **Standard Components - Room Data Sheet**

AusHFG code	Description	Group	Qty	Comments
S-7040	Suction	1	1	
S-11000	Wall panel	2	1	patient services panels



