


RLS Room Code: ORMS



CODE	DESCRIPTION
ITNE-050	TELEPHONE: handset, desktop, handsfree
LIFX-003	LIGHT: illuminated sign, "Laser in Use"
LIFX-023	LIGHT: fluorescent light, recessed and sealed
MGAS-080	OUTLET: tourniquet air, with controls
MMGP-001	ALARM PANEL: medical gases
MMGP-007	CONTROL PANEL: tool air
MMGE-045	IV STAND: mobile
MMGE-048	LINEN CARRIER: dirty, single
MMGE-122	TROLLEY: gowns
MMGE-123	TROLLEY: instrument
MMGE-152	VIEWER: X-ray, 2 screen
MMHA-001	CARRIER: suction bottle
MMOP-028	KICKBUCKET & STAND:
MMOP-040	MACHINE: anaesthetic
MMOP-071	STOOL: operating, mobile
MMOP-079	TABLE: operating, manual
MMOP-085	TROLLEY: anaesthetic
MMSP-026	SERVICES PANEL: wall mounted
MMSP-029	LIGHT: operating, single, 550 diam nom.
WLWA-005	WALL FINISH: paint, scrub resistant
WLWA-022	WALL FINISH: vinyl, to 900 AFFL

ORMS PENDANT 2 SURGICAL		
CODE	DESCRIPTION	COUNT
ELGP-104	GPO: single, on pendant	4
ELGP-121.1	GPO: emergency power, single, on pendant (V)	4
FIHR-019	BRACKET: for suction bottle	2
ITIN-024	OUTLET: data, double RJ45, on pendant	1
MGAS-021	OUTLET: medical air (MA), on pendant	1
MGAS-031	OUTLET: nitrous oxide (N2O), on pendant	1
MGAS-041	OUTLET: oxygen (O2), on pendant	2
MGAS-052	OUTLET: scavenge, on pendant, with adapter	1
MGAS-061	OUTLET: suction, on pendant	2
MGAS-074	OUTLET: tool air, on pendant	1
MGFP-002	FLOWMETER: medical air	1
MGFP-004	FLOWMETER: oxygen	2
MMGE-002	ADAPTER: suction	2
MMGE-100	SUCTION BOTTLE	2
MMSP-016	PENDANT: single, equipment (fixed or adjustable height)	1

Room Layout Sheet

Room Name:





CODE	DESCRIPTION
FIHR-028	HOOK: endoscope
FUJO-059	BENCH TOP: 600D, joinery under, laminate finish
FUJO-117	CUPBOARD: tall, double door, adj shelves, lockable
FUJO-125	CUPBOARD: tall, endoscope hanging, with vents
FUJO-135	CUPBOARD: underbench, double door, adj shelves
FUJO-148	CUPBOARD: wall mount, double door, glazed, adj shelves, lockable
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished
FLYV-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant
QOCW-006	BIN: waste, clinical, 240L
ITBU-011	DISPLAY SCREEN: MATV
ITCL-004	BUTTON: nurse call, emergency
ITCL-005	BUTTON: nurse call, orderly / porter
ITCL-008	BUTTON: nurse call, staff assist
ITCL-016	CLOCK: clock system slave, analogue
ITCL-021	CLOCK: clock system slave dual time / elapsed time
ITCL-022	CLOCK: clock system slave, elapsed time
ITCL-023	CONTROL PANEL: master clock system
ITIN-016	OUTLET: data, single RJ45, wall mounted
ITIN-026	OUTLET: data, double RJ45, wall mounted
ITNF-007	COMPUTER: desktop, with display screen

CODE	DESCRIPTION
ITNE-050	TELEPHONE: handset, desktop, handsfree
LIFX-003	LIGHT: illuminated sign, "Laser in Use"
LIFX-023	LIGHT: fluorescent light, recessed and sealed
MGAS-080	OUTLET: tourniquet air, with controls
MGFP-001	ALARM PANEL: medical gases
MGFP-007	CONTROL PANEL: tool air
MMGE-045	IV STAND: mobile
MMGE-048	LINEN CARRIER: dirty, single
MMGE-122	TROLLEY: gowns
MMGE-123	TROLLEY: instrument
MMGE-152	VIEWER: X-ray, 2 screen
MMHA-001	CARRIER: suction bottle
MMOP-028	KICKBUCKET & STAND:
MMOP-040	MACHINE: anaesthetic
MMOP-071	STOOL: operating, mobile
MMOP-079	TABLE: operating, manual
MMOP-085	TROLLEY: anaesthetic
MMSP-026	SERVICES PANEL: wall mounted
MMSP-029	LIGHT: operating, single, 550 diam nom.
WLWA-005	WALL FINISH: paint, scrub resistant
WLWA-022	WALL FINISH: vinyl to 900 AFEL



ORMS PENDANT 1 ANAESTHETIC		
CODE	DESCRIPTION	COUNT
ELGP-104	GPO: single, on pendant	4
ELGP-121.1	GPO: emergency power, single, on pendant (V)	4
ELPR-006	RCD: residual current device	1
FIHR-019	BRACKET: for suction bottle	2
ITIN-024	OUTLET: data, double RJ45, on pendant	1
MGAS-021	OUTLET: medical air (MA), on pendant	1
MGAS-031	OUTLET: nitrous oxide (N2O), on pendant	1
MGAS-041	OUTLET: oxygen (O2), on pendant	2
MGAS-052	OUTLET: scavenge, on pendant, with adapter	1
MGAS-061	OUTLET: suction, on pendant	2
MGAS-074	OUTLET: tool air, on pendant	1
MGFP-002	FLOWMETER: medical air	1
MGFP-004	FLOWMETER: oxygen	2
MMGE-002	ADAPTER: suction	2
MMGE-100	SUCTION BOTTLE	2
MMHA-004	MONITOR: patient, anaesthetic	1
MMSP-015	PENDANT: single, anaesthetic (fixed or adjustable height)	1



ORMS PENDANT 2 SURGICAL		
CODE	DESCRIPTION	COUNT
ELGP-104	GPO: single, on pendant	4
ELGP-121.1	GPO: emergency power, single, on pendant (V)	4
FIHR-019	BRACKET: for suction bottle	2
ITIN-024	OUTLET: data, double RJ45, on pendant	1
MGAS-021	OUTLET: medical air (MA), on pendant	1
MGAS-031	OUTLET: nitrous oxide (N2O), on pendant	1
MGAS-041	OUTLET: oxygen (O2), on pendant	2
MGAS-052	OUTLET: scavange, on pendant, with adapter	1
MGAS-061	OUTLET: suction, on pendant	2
MGAS-074	OUTLET: tool air, on pendant	1
MGFP-002	FLOWMETER: medical air	1
MGFP-004	FLOWMETER: oxygen	2
MMGE-002	ADAPTER: suction	2
MMGE-100	SUCTION BOTTLE	2
MMPSP-016	PENDANT: single, equipment (fixed or adjustable height)	1

 AustHFG Australasian Health Facility Guidelines	REV	DESCRIPTION	DATE	FOR GUIDANCE	SCALE	RLS Room Code	REV
	5	Coding and naming updated	20.03.2017		1 : 50 @ A3	ORMS	5